



KENT PUBLIC HEALTH
OBSERVATORY

Starting Well:
Children in Ashford CCG

Contents

Overview

Demographics

Birth statistics

Wellbeing

Healthcare usage

User guide



Starting Well: Children in Ashford CCG

BIRTHS

1,460

births in 2018

Low birth weight



4.9%

Source: ONS, NHS Digital, 2012-2016

Infant mortality

3.5
per 1,000



Source: PCMD, ONS, NHS Digital, 2014-2016

Teenage conceptions

Kent

16.1
per 1,000

down
53%



2009

2017

Source: ONS

CHILDHOOD OBESITY



24%
of Year R pupils
overweight
or obese

33%

of Year 6 pupils
overweight
or obese



Source: NCMP, 2014/15-2018/19

Ward-level excess weight (Year 6)

Highest

42% Stanhope

33% Ashford CCG

33% Kent

18% Tenterden North

Lowest

Source: NCMP, 2014/15-2018/19 combined


WELLBEING

91%

receive two doses of
the MMR vaccine by
age 5

Source: NHS England,
2014/15-2018/19

In 2018/19 amongst 0-24 year olds:



333

Hospital
admissions
for unintentional
injuries

A&E
attendances

14,148



Source: HES

Images from Noun Project

Demographics

Population numbers: Ages 0 to 4

Population projections: Ages 0 to 4

Population numbers: Ages 0 to 19

Population projections: Ages 0 to 19


Population Numbers: Summary table

Income Deprivation Affecting Children Index (IDACI)



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (LLY), Oct-19



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (MP), Oct-19



Children aged 0-4 years: population projections

Office for National Statistics 2016-based projections




Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: Office for National Statistics mid-year estimates, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: ONS, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: population projections

Office for National Statistics 2016-based projections

■ Ashford CCG ONS projection



Source: ONS, KCC, prepared by KPHO (RK), Nov-18



Mid 2018 Population Estimates for Children and
Young People by Electoral Ward

Source: ONS

Ward Code 2011	Ward Name	0-4		0-19	
		Number	%	Number	%
E05004867	Aylesford Green	327	8.0%	1203	29.4%
E05004868	Beaver	435	7.0%	1646	26.5%
E05004869	Biddenden	118	4.5%	560	21.3%
E05004870	Bockhanger	167	6.0%	667	24.0%
E05004871	Boughton Aluph and Eastwell	223	6.8%	891	27.1%
E05004872	Bybrook	218	7.9%	754	27.3%
E05004873	Charing	117	4.4%	494	18.5%
E05004874	Downs North	136	5.3%	576	22.4%
E05004875	Downs West	99	4.0%	552	22.2%
E05004876	Godinton	563	7.0%	2240	27.7%
E05004877	Great Chart with Singleton North	286	7.1%	1124	27.9%
E05004878	Highfield	122	5.0%	610	24.8%
E05004879	Isle of Oxney	103	3.9%	526	19.9%
E05004880	Kennington	101	4.4%	487	21.2%
E05004881	Little Burton Farm	168	5.6%	863	28.7%
E05004882	Norman	238	7.7%	750	24.3%
E05004883	North Willesborough	259	5.0%	1132	22.0%
E05004884	Park Farm North	362	7.4%	1431	29.2%
E05004885	Park Farm South	134	6.9%	637	32.6%
E05004886	Rolvenden and Tenterden West	92	3.7%	450	18.2%
E05004888	Saxon Shore	249	4.6%	1183	21.9%
E05004889	Singleton South	214	6.4%	776	23.2%
E05004890	South Willesborough	299	7.5%	1139	28.7%
E05004887	St Michaels	77	3.2%	495	20.6%
E05004891	Stanhope	384	9.5%	1567	38.9%
E05004892	Stour	396	7.0%	1461	25.9%
E05004893	Tenterden North	74	3.4%	343	15.7%
E05004894	Tenterden South	95	4.0%	457	19.1%
E05004895	Victoria	613	9.4%	1837	28.3%
E05004896	Washford	296	7.6%	1144	29.4%
E05004897	Weald Central	231	4.4%	1122	21.5%
E05004898	Weald East	391	9.6%	1152	28.2%
E05004899	Weald North	68	2.8%	472	19.3%
E05004900	Weald South	275	4.9%	1214	21.6%
E05004901	Wye	147	5.7%	582	22.4%
Ashford CCG Total		8077	6.2%	32537	25.2%



Income deprivation affecting children (IDACI): by electoral ward

The percentage of children aged 0-15 years living in income deprived households, 2019



Source: DCLG, prepared by KPHO (LLY), Jan-20



Birth statistics

General fertility rate

Low birth weight


Infant mortality

Teenage conceptions



General fertility rate: by electoral ward

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General fertility rate: by electoral ward

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-18




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General fertility rate: by CCG

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General Fertility Rate: trend

The crude rate of total live births per 1,000 women aged 15-44 years, 2010/11 to 2018/19




No significant change compared with a stable trend for Kent

Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General Fertility Rate: by deprivation

The crude rate of total live births per 1,000 women aged 15 - 44 years, 2010-2012 to 2016-2018



Least deprived trend - no significant change compared with decreasing trend for Kent


Most deprived trend - decreasing with a similar pace of change to Kent

Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015



Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17

Wards with no data have been subject to supression rules



Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Low birth weight: by CCG

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Low birth weight: trend

The percentage of live births with low birth weight, 2500 grams or less, 2006 to 2015




Decreasing with a similar pace of change to Kent

Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Low birth weight: by deprivation

The percentage of live births with low birth weight, 2500 grams or less, 2006 - 2008 to 2013 - 2015




Least deprived trend - stable
Most deprived trend - decreasing

Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: trend

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2008 to 2014 - 2016




No significant change compared with a decreasing trend for Kent

Source : PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: by CCG

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2012-2016




Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: by deprivation

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2010 to 2012 - 2016




Least deprived trend - stable
Most deprived trend - decreasing

Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Under 18 teenage conceptions: trend

Conception rate per 1,000 15-17 year olds, residence based, 2001 to 2017




Decreasing with a similar pace of change to England

Source : ONS, prepared by KPHO (ZC), Feb-20



Under 18 teenage conceptions: by district

Conception rate per 1,000 15-17 year olds, residence based, 2017



Source: ONS, prepared by KPHO (LLY), Feb-20



Wellbeing

Life expectancy at birth

Smoking at time of delivery

Breastfeeding: New born visit

Breastfeeding: 6-8 weeks

Immunisations: Dtap /IPV / Hib (1 year)

Immunisations: MMR for two doses (5 years)

Obesity & excess weight: Year R

Obesity & excess weight: Year 6


Good level of development

Tooth decay: Age 5



Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

Wards in grey have total person years below 5,000



Life expectancy at birth, male: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Smoking status at time of delivery: by district

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2017/18




Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



Smoking status at time of delivery: trend

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2010/11 to 2017/18




Stable compared with a decreasing trend for England

Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



New born visit breastfeeding: by CCG

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



Breastfeeding at 6-8 weeks: by electoral ward

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20

Wards with no data have been subject to supression rules



Breastfeeding at 6-8 weeks: by electoral ward

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



Breastfeeding at 6-8 weeks: by CCG

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



Population vaccination coverage - Dtap/IPV/Hib (1 year old): by electoral ward

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - Dtap/IPV/Hib (1 year old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19




Increasing compared with a decreasing trend for England

Source: NHS England, prepared by KPHO (ZC), Dec-19



Population vaccination coverage - Dtap/IPV/Hib (1 year old): by CCG

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - MMR for two doses (5 years old): by electoral ward

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - MMR for two doses (5 years old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19




Increasing compared with a decreasing trend for England

Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - MMR for two doses (5 years old): by CCG

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19



Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Obesity in reception year children aged 4-5 years: by CCG

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Obesity in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Obesity in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

Ward Ashford CCG Kent




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: by CCG

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Least deprived trend - no significant change compared with stable trend for Kent
Most deprived trend - no significant change compared with increasing trend for Kent

Source : NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

Wards with no data have been subject to supression rules



Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: by CCG

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: trend

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with increasing trend for Kent

Source : NCMP, NHS Digital, prepared by KPHO (SR), Feb-20



Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: by CCG

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: trend

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Decreasing compared with a stable trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with increasing trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by CCG

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: trend

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2013 to 2019




Increasing with a similar pace of change to Kent

Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Tooth decay in children aged five: by CCG

The percentage of children at age 5 years, within the survey sample, who experienced decayed, missing or extracted teeth, 2017




Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (TG), May-18



Tooth decay in children aged five: trend

The percentage of children at age 5 years (within the survey sample) who experienced decayed, missing or extracted teeth, 2015 to 2017



Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (RK), Jun-18



Healthcare usage

A&E attendances


Elective hospital admissions

Emergency hospital admissions



Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children aged 0-4 years: by CCG

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - increasing with a similar pace of change to Kent


Most deprived trend - no significant change compared with an increasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



Accident & Emergency attendances in children & young people aged 0-19 years: by CCG

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



Accident & Emergency attendances in children & young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13-2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



Accident & Emergency attendances in children & young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13 - 2014/5 to 2016/17 - 2018/19



Least deprived trend - increasing with a similar pace of change to Kent


Most deprived trend - no significant change compared with an increasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan -20



Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children aged 0-4 years: by CCG

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12-2015/16 to 2014/15-2018/19



Least deprived trend - stable with a similar pace of change to England


Most deprived trend - increasing compared with a decreasing trend for England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Elective hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children and young people aged 0-19 years: by CCG

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing compared with a increasing trend for Kent
Most deprived trend - no significant change compared with a increasing trend for Kent

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children aged 0-4 years: by CCG

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a faster pace of change than Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing compared with an increasing trend for Kent


Most deprived trend - increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency hospital admissions in children and young people aged 0-19 years: by CCG

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




Increasing with a faster pace of change than Kent

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Emergency hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a faster pace of change than Kent


Most deprived trend - increasing with a faster pace of change than Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by CCG

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions for asthma in children and young people aged 0-19 years: trend

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by deprivation

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable with a similar pace of change to England


Most deprived trend - stable with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by CCG

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: trend

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Increasing compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by deprivation

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a faster pace of change than Kent
Most deprived trend - no significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by CCG

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: trend

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




No significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by deprivation

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - no significant change compared with a decreasing trend for Kent


Most deprived trend - no significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by CCG

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: trend

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




No significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by deprivation

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with a decreasing trend for Kent

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Hospital admissions for self-harm in children and young people aged 10-24 years: by CCG

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause),
2013/14 to 2018/19




Source: Hospital Episode Statistics, NHS Digital, ONS, prepared by KPHO (LLY), Jan -20



Hospital admissions for self-harm in children and young people aged 10-24 years: trend

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2011/12 to 2018/19




No significant change compared with a stable trend for Kent

Source: Hospital Episode Statistics, NHS Digital, ONS, prepared by KPHO (LLY), Jan-20



Hospital admissions for self-harm in young people aged 10-24 years: by deprivation

Age standardised rate per 100,000 children and young people aged 10-24 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (LLY), Jan -20



Hospital admissions for respiratory tract infections in infants under 1: by CCG

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Hospital admissions for respiratory tract infections in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a faster pace of change than Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Hospital admissions for respiratory tract infections in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2010/11 - 2014/15 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England
Most deprived trend - increasing with a faster pace of change than England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Hospital admissions for gastroenteritis in infants under 1: by CCG

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Hospital admissions for gastroenteritis in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Hospital admissions for gastroenteritis in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing with a similar pace of change to England
Most deprived trend - stable compared with a decreasing trend for England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 relevant resident population, 2011/12 - 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

Wards with no data have been subject to suppression rules



Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 live births, 2011/12 - 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards in grey are subject to suppression rules



Emergency admissions of babies to hospital within 14 days of birth: by CCG

Crude rate per 1,000 relevant resident population, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency admissions of babies to hospital within 14 days of birth: trend

Crude rate per 1,000 live births, 2011/12 - 2013/14 to 2016/17 - 2018/19



Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

