



KENT PUBLIC HEALTH OBSERVATORY

Living Well: Specific Conditions

Living Well in West Kent CCG

Contents

Overview

Premature mortality

Cancer

Respiratory disease

Mental health


User guide




Living Well: West Kent CCG

PREMATURE DEATHS (under 75 years)

Cause of death




Inequalities by deprivation



LIFE EXPECTANCY at birth



Ward-level life expectancy (men)



LONG TERM CONDITIONS recorded prevalence

Diabetes
6.2%
Ages 17+

Hypertension
13.7%
All ages

Asthma
5.7%
All ages

COPD
1.7%
All ages

Source: QOF, 2018/19

MENTAL HEALTH

Depression



10.8%

Of adults recorded by their GP as having depression

Emergency hospital admissions for serious mental health conditions

883
in 2018/19



Source: QOF, 2018/19; HES,

Premature mortality

Premature mortality & hospital admissions

Atrial fibrillation

Coronary heart disease (CHD)

Heart failure

Acute myocardial infarction

Revascularisation

Stroke

Diabetes

Chronic Kidney disease (CKD)


Hypertension



Premature mortality from cardiovascular disease: by electoral ward

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017

Ward West Kent CCG Kent




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cardiovascular disease: by electoral ward

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017




Wards in grey have been subject to suppression rules.

Source: PCMD, prepared by KPHO (MP), Nov-18



Premature mortality from cardiovascular disease: by CCG

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: I00-I99),
2013-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cardiovascular disease: trend

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: I00-I99), 2010 to 2017




Decreasing with a similar pace of change to Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cardiovascular disease: by deprivation

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: I00-I99), 2010 - 2014 to 2013 - 2017



Least deprived trend - no significant change compared with stable trend for Kent
Most deprived trend - no significant change compared with decreasing trend for Kent


Source: PCMD, prepared by KPHO (RK), Nov-18



Emergency hospital admissions for cardiovascular disease: by electoral ward

Age standardised rate per 100,000 resident population, ICD-10: I00-I99 in primary, 2016/17-2018/19

Ward West Kent CCG Kent




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Dec-19



Emergency hospital admissions for cardiovascular disease: by electoral ward

Age standardised rate per 100,000 resident population, ICD-10: I00-I99 in primary, 2016/17-2018/19



Age standardised rate per 100,000
resident population


Greater than 1,048.3
951.8 to 1,048.3
857.3 to 951.8
756.3 to 857.3
Less than 756.3

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Dec-19



Emergency hospital admissions for cardiovascular disease: by CCG

Age standardised rate per 100,000 resident population, ICD-10: I00-I99 in primary, 2016/17-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Dec-19



Emergency hospital admissions for cardiovascular disease: trend

Age standardised rate per 100,000 resident population, ICD-10: I00-I99 in primary, 2010/11 to 2018/19




No significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Dec-19



Emergency hospital admissions for cardiovascular disease: by deprivation

Age standardised rate per 100,000 resident population, ICD-10: I00-I99 in primary, 2010/11 - 2012/13 to 2016/17 - 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Dec-19



Recorded atrial fibrillation prevalence: by practice

Percentage of patients recorded on GP QOF registers as having atrial fibrillation, 2018/19

Practice — West Kent CCG - - - Kent




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded atrial fibrillation prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having atrial fibrillation, 2018/19

CCG Kent England




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded atrial fibrillation prevalence: trend

Percentage of patients recorded on GP QOF registers as having atrial fibrillation, 2010/11 to 2018/19



Increasing with a similar pace of change to England


Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded CHD prevalence: by practice

Percentage of patients recorded on GP QOF registers as having coronary heart disease, 2018/19

Practice — West Kent CCG - - - Kent




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded CHD prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having coronary heart disease, 2018/19

CCG Kent England




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded CHD prevalence: trend

Percentage of patients recorded on GP QOF registers as having coronary heart disease, 2010/11 to 2018/19




Decreasing with a similar pace of change to England

Source: QOF, prepared by KPHO (ZC), Dec-19



Hospital admissions for Coronary Heart Disease (CHD): by electoral ward

Age standardised rate per 100,000 resident population, ICD-10: I20-I25 (primary diagnosis), 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

Wards with no data have been subject to suppression rules



Hospital admissions for Coronary Heart Disease (CHD): by CCG

Age standardised rate per 100,000 resident population, ICD-10: I20-I25 (primary diagnosis), 2016/17-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Hospital admissions for Coronary Heart Disease (CHD): trend

Age standardised rate per 100,000 resident population, ICD-10: I20-I25 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Decreasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Hospital admissions for Coronary Heart Disease (CHD): by deprivation

Age standardised rate per 100,000 resident population, ICD-10: I20-I25 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing with a similar pace of change to England
Most deprived trend - decreasing with a similar pace of change to England


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Recorded prevalence of heart failure: by practice

Percentage of patients recorded on GP QOF registers as having heart failure, 2018/19

Practice — West Kent CCG — Kent




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded prevalence of heart failure: by CCG

Percentage of patients recorded on GP QOF registers as having heart failure, 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded prevalence of heart failure: trend

Percentage of patients recorded on GP QOF registers as having heart failure, 2010/11 to 2018/19




Increasing with a similar pace of change to England

Source: QOF, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions for acute myocardial infarction: by electoral ward

Age standardised rate per 100,000 resident population, ICD 10: I21 (primary diagnosis) , 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19

wards with no data have been subject to suppression rules



Emergency hospital admissions for acute myocardial infarction: by electoral ward

Age standardised rate per 100,000 resident population, ICD 10: I21 (primary diagnosis) , 2014/15-2018/19



**Age standardised rate per 100,000
resident population**

- Greater than 151.8
- 129.9 to 151.8
- 108.8 to 129.9
- 85.5 to 108.8
- Less than 85.5


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19

Wards in grey are subject to suppression rules



Emergency hospital admissions for acute myocardial infarction: by CCG

Age standardised rate per 100,000 resident population, ICD 10: I21 (primary diagnosis) , 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions for acute myocardial infarction: trend

Age standardised rate per 100,000 resident population, ICD 10: I21 (primary diagnosis) , 2011/12 - 2015/16 to 2014/15 - 2018/19




No significant change with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions for acute myocardial infarction: by deprivation

Age standardised rate per 100,000 resident population, ICD 10: I21 (primary diagnosis) , 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change compared with a stable trend for Kent
Most deprived trend - no significant change compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Hospital episodes for revascularisation procedures: by electoral ward

Age standardised rate per 100,000 resident population, OPCS4: K40-K46, K49-K50, K75 (primary procedure), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19

wards with no data have been subject to suppression rules



Hospital episodes for revascularisation procedures: by electoral ward

Age standardised rate per 100,000 resident population, OPCS4: K40-K46, K49-K50, K75 (primary procedure), 2014/15-2018/19



Age standardised rate per 100,000
resident population

- Greater than 140.1
- 121.2 to 140.1
- 107.1 to 121.2
- 88.8 to 107.1
- Less than 88.8


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19

Wards in grey are subject to suppression rules



Hospital episodes for revascularisation procedures: by CCG

Age standardised rate per 100,000 resident population, OPCS4: K40-K46, K49-K50, K75 (primary procedure), 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Hospital episodes for revascularisation procedures: trend

Age standardised rate per 100,000 resident population, OPCS4: K40-K46, K49-K50, K75 (primary procedure), 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Hospital episodes for revascularisation procedures: by deprivation

Age standardised rate per 100,000 resident population, OPCS4: K40-K46, K49-K50, K75 (primary procedure), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - no significant change compared with a decreasing trend for Kent
Most deprived trend - no significant change compared with a stable trend for Kent


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Recorded stroke and TIA prevalence: by practice

Percentage of patients recorded on GP QOF registers as having Stroke or TIA, 2018/19

Practice — West Kent CCG - - - Kent




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded stroke and TIA prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having Stroke or TIA, 2018/19

CCG Kent England




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded stroke and TIA prevalence: trend

Percentage of patients recorded on GP QOF registers as having Stroke or TIA, 2010/11 to 2018/19




Increasing with a similar pace of change to England

Source: QOF, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions for stroke: by electoral ward

Age standardised rate per 100,000 resident population, ICD-10: I61-I64 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

Wards with no data have been subject to suppression rules



Emergency hospital admissions for stroke: by electoral ward

Age standardised rate per 100,000 resident population, ICD-10: I61-I64 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards in grey are subject to suppression rules



Emergency hospital admissions for stroke: by CCG

Age standardised rate per 100,000 resident population, ICD-10: I61-I64 (primary diagnosis), 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Emergency hospital admissions for stroke: trend

Age standardised rate per 100,000 resident population, ICD-10: I61-I64 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19




No significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Emergency hospital admissions for stroke: by deprivation

Age standardised rate per 100,000 resident population, ICD-10: I61-I64 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - no significant change with a similar pace of change to Kent

Most deprived trend - no significant change compared with a decreasing trend for Kent


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Recorded diabetes prevalence: by practice

Percentage of patients aged 17+ recorded on GP QOF registers as having diabetes mellitus, 2018/19

Practice — West Kent CCG - - - Kent




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded diabetes prevalence: by CCG

Percentage of patients aged 17+ recorded on GP QOF registers as having diabetes mellitus, 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded diabetes prevalence: trend

Percentage of patients aged 17+ recorded on GP QOF registers as having diabetes mellitus, 2010/11 to 2018/19



Increasing with a similar pace of change to England


Source: QOF, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions for diabetes: by electoral ward

Age standardised rate per 100,000 resident population, ICD 10: E10-14 (primary diagnosis) , 2014/15-2018/19

Ward West Kent CCG Kent




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

Wards with no data have been subject to suppression rules



Emergency hospital admissions for diabetes: by electoral ward

Age standardised rate per 100,000 resident population, ICD 10: E10-14 (primary diagnosis) , 2014/15-2018/19



Age standardised rate per 100,000
resident population

- Greater than 110.7
- 83.6 to 110.7
- 63.4 to 83.6
- 46.6 to 63.4
- Less than 46.6


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19

Wards in grey are subject to suppression rules



Emergency hospital admissions for diabetes: by CCG

Age standardised rate per 100,000 resident population, ICD 10: E10-14 (primary diagnosis) , 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Emergency hospital admissions for diabetes: trend

Age standardised rate per 100,000 resident population, ICD 10: E10-14 (primary diagnosis) , 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Emergency hospital admissions for diabetes: by deprivation

Age standardised rate per 100,000 resident population, ICD 10: E10-14 (primary diagnosis) , 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - no significant change compared with an stable trend for Kent


Most deprived trend - no significant change compared with an increasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Recorded chronic kidney disease (CKD) prevalence: by practice

Percentage of patients aged 18+ recorded on GP QOF registers as having CKD, 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded chronic kidney disease (CKD) prevalence: by CCG

Percentage of patients aged 18+ recorded on GP QOF registers as having CKD, 2018/19

CCG Kent England




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded chronic kidney disease (CKD) prevalence: trend

Percentage of patients aged 18+ recorded on GP QOF registers as having CKD, 2010/11 to 2018/19




Decreasing compared with a stable trend for England

Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded hypertension prevalence: by practice

Percentage of patients recorded on GP QOF registers as having hypertension, 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded hypertension prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having hypertension, 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded hypertension prevalence: trend

Percentage of patients recorded on GP QOF registers as having hypertension, 2010/11 to 2018/19



Increasing with a faster pace of change than England


Source: QOF, prepared by KPHO (ZC), Dec-19



Undiagnosed hypertension (estimated): by general practice

Modelled estimates of the prevalence of undiagnosed hypertension, ages 16+, 2015

Practice — West Kent CCG — Kent




Source: Imperial College London, prepared by KPHO (ZC), Feb -20



Undiagnosed hypertension (estimated): by CCG

Modelled estimates of the prevalence of undiagnosed hypertension, ages 16+, 2015



Source: Imperial College London, prepared by KPHO (ZC), Feb-20



Cancer

Premature mortality from cancers

Cancers considered amenable to early detection

Cancers considered preventable

Cancer registrations

Cancer prevalence

Hospital admissions with cancer

Cancer screening: Bowel

Cancer screening: Breast


Cancer screening: Cervical



Premature mortality from cancer: by electoral ward

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C00-C97), 2013-2017

Ward West Kent CCG Kent




Source: PCMD, prepared by KPHO (RK), Nov-18




Premature mortality from cancer: by electoral ward

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C00-C97), 2013-2017



Age standardised rate per 100,000
people aged under 75 years




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancer: by CCG

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C00-C97),
2013-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancer: trend

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C00-C97), 2010 to 2017




Decreasing compared with a stable trend for Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancer: by deprivation

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C00-C97), 2010 - 2014 to 2013 - 2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancers considered amenable to early detection: by CCG

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C17-C21, C43, C50, C53, C61), 2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancers considered amenable to early detection: trend

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C17-C21, C43, C50, C53, C61),
2010 - 2012 to 2015 - 2017




No significant change compared with a stable trend for Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancers considered amenable to early detection: by deprivation

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C17-C21, C43, C50, C53, C61), 2010 - 2012 to 2015 - 2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancers considered preventable: by CCG

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C00-C16, C18-C22, C33-C34, C43, C45, C50, C53), 2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancers considered preventable: trend

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C00-C16, C18-C22, C33-C34, C43, C45, C50, C53), 2010 to 2017




Decreasing with a similar pace of change to Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from cancers considered preventable: by deprivation

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: C00-C16, C18-C22, C33-C34, C43, C45, C50, C53), 2010 - 2012 to 2015 - 2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Cancer registrations - all ages: by electoral ward

All malignant cancers (ICD10 C00-C97) excluding Basal Cell Carcinoma of the skin (ICD10 C44, M8090 - M8098), crude rate per 10,000 population, 2012-2016

Ward West Kent CCG Kent




Source: The National Cancer Registration Service (NCRS), prepared by KPHO (RK), Feb-19




Cancer registrations - all ages: by electoral ward

All malignant cancers (ICD10 C00-C97) excluding Basal Cell Carcinoma of the skin (ICD10 C44, M8090 - M8098), crude rate per 10,000 population, 2012-2016



Crude rate per 10,000 population



Source: The National Cancer Registration Service (NCRS), prepared by KPHO (RK), Feb-19




Cancer registrations - all ages: by CCG

All malignant cancers (ICD10 C00-C97) excluding Basal Cell Carcinoma of the skin (ICD10 C44, M8090 - M8098), crude rate per 10,000 population, 2012-2016

CCG

Kent




Source : The National Cancer Registration Service (NCRS), prepared by KPHO (RK), Feb-19



Cancer registrations - all ages: trend

All malignant cancers (ICD10 C00-C97) excluding Basal Cell Carcinoma of the skin (ICD10 C44, M8090 - M8098), crude rate per 10,000 population, 2008-2012 - 2012-2016



No significant change compared with a stable trend for Kent


Source: Source: The National Cancer Registration Service (NCRS), prepared by KPHO (RK), Feb-19



Cancer registrations - under 75's: by electoral ward

All malignant cancers (ICD10 C00-C97) excluding Basal Cell Carcinoma of the skin (ICD10 C44, M8090 - M8098), crude rate per 10,000 population, 2012-2016

Ward — West Kent CCG — Kent




Source: The National Cancer Registration Service (NCRS), prepared by KPHO (RK), Feb-19




Cancer registrations - under 75's: by electoral ward

All malignant cancers (ICD10 C00-C97) excluding Basal Cell Carcinoma of the skin (ICD10 C44, M8090 - M8098), crude rate per 10,000 population, 2012-2016



Crude rate per 10,000 population



Source: The National Cancer Registration Service (NCRS), prepared by KPHO (RK), Feb-19




Cancer registrations - under 75's: by CCG

All malignant cancers (ICD10 C00-C97) excluding Basal Cell Carcinoma of the skin (ICD10 C44, M8090 - M8098), crude rate per 10,000 population, 2012-2016

CCG

Kent




Source : The National Cancer Registration Service (NCRS), prepared by KPHO (RK), Feb-19



Cancer registrations - under 75's: trend

All malignant cancers (ICD10 C00-C97) excluding Basal Cell Carcinoma of the skin (ICD10 C44, M8090 - M8098), crude rate per 10,000 population, 2008-2012 - 2012-2016




No significant change compared with a stable trend for Kent

Source: Source: The National Cancer Registration Service (NCRS), prepared by KPHO (RK), Feb-19



Recorded cancer prevalence: by practice

Percentage of patients recorded on GP QOF registers as having cancer, excluding non-melanoma skin cancer, 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded cancer prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having cancer, excluding non-melanoma skin cancer, 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded cancer prevalence: trend

Percentage of patients recorded on GP QOF registers as having cancer, excluding non-melanoma skin cancer, 2010/11 to 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions with cancer: by electoral ward

Age standardised rate per 100,000 resident population, ICD-10: C00-C97, D00-D09, D33, D37-D48, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

Wards with no data have been subject to suppression rules



Emergency hospital admissions with cancer: by electoral ward

Age standardised rate per 100,000 resident population, ICD-10: C00-C97, D00-D09, D33, D37-D48, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions with cancer: by CCG

Age standardised rate per 100,000 resident population, ICD-10: C00-C97, D00-D09, D33, D37-D48, 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions with cancer: trend

Age standardised rate per 100,000 resident population, ICD-10: C00-C97, D00-D09, D33, D37-D48, 2011/12 - 2015/16 to 2014/15 - 2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions with cancer: by deprivation

Age standardised rate per 100,000 resident population, ICD-10: C00-C97, D00-D09, D33, D37-D48, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable compared with a increasing trend for England


Most deprived trend - stable with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Bowel cancer screening rate (60-74): by practice

Percentage of persons aged 60-74 screened for bowel cancer in the last 30 months, 2018/19




Source: Open Exeter, prepared by KPHO (MP), Jan -20



Bowel cancer screening rate (60-74): by CCG

Percentage of persons aged 60-74 screened for bowel cancer in the last 30 months, 2018/19




Source: Open Exeter, prepared by KPHO (MP), Jan-20



Bowel cancer screening rate (60-74): trend

Percentage of persons aged 60-74 screened for bowel cancer in the last 30 months, 2010/11 to 2018/19




Increasing with a similar pace of change to England

Source: Open Exeter, prepared by KPHO (MP), Jan-20



Breast cancer screening rate: by practice

Percentage of women aged 50-70 screened for breast cancer in the last 36 months, 2018/19




Source: Open Exeter, prepared by KPHO (MP), Jan -20



Breast cancer screening rate: by CCG

Percentage of women aged 50-70 screened for breast cancer in the last 36 months, 2018/19




Source: Open Exeter, prepared by KPHO (MP), Jan-20



Breast cancer screening rate: trend

Percentage of women aged 50-70 screened for breast cancer in the last 36 months, 2012/13 to 2018/19




Stable with a similar pace of change to England

Source: Open Exeter, prepared by KPHO (MP), Jan-20



Cervical cancer screening rate: by practice

Percentage of women aged 25-64 screened for cervical cancer within the target period, 2018/19




Source: Open Exeter, prepared by KPHO (MP), Jan -20



Cervical cancer screening rate: by CCG

Percentage of women aged 25-64 screened for cervical cancer within the target period, 2018/19




Source: Open Exeter, prepared by KPHO (MP), Jan-20



Cervical cancer screening rate: trend

Percentage of women aged 25-64 screened for cervical cancer within the target period, 2012/13 to 2018/19



Decreasing with a similar pace of change to England

Source: Fingertips, prepared by KPHO (ZC), Jan-20



Respiratory disease

Premature mortality from respiratory disease

Hospital admissions for respiratory disease

COPD prevalence

Undiagnosed COPD (estimated)


Hospital admissions for COPD

Asthma prevalence



Premature mortality from respiratory disease: by CCG

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: J00-J99),
2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from respiratory disease: trend

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: J00-J99) , 2009 - 2011 to 2015 - 2017




Decreasing compared with a stable trend for Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Premature mortality from respiratory disease: by deprivation

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: J00-J99) , 2010 - 2014 to 2013 - 2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Emergency hospital admissions for all respiratory disease for persons aged 20 to 64 years: by electoral ward

Age standardised rate per 100,000 people aged 20-64, ICD-10: J00-J99 in primary, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19

Wards with no data have been subject to suppression rules



Emergency hospital admissions for all respiratory disease for persons aged 20 to 64 years: by electoral ward

Age standardised rate per 100,000 people aged 20-64, ICD-10: J00-J99 in primary, 2014/15-2018/19



Age standardised rate per 100,000
people aged 20-64




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-20



Emergency hospital admissions for all respiratory disease for persons aged 20 to 64 years: by CCG

Age standardised rate per 100,000 people aged 20-64, ICD-10: J00-J99 in primary, 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Emergency hospital admissions for all respiratory disease for persons aged 20 to 64 years: trend

Age standardised rate per 100,000 people aged 20-64, ICD-10: J00-J99 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Emergency hospital admissions for all respiratory disease for persons aged 20 to 64 years: by deprivation

Age standardised rate per 100,000 people aged 20-64, ICD-10: J00-J99 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to Kent
Most deprived trend - increasing with a similar pace of change to Kent


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Recorded COPD prevalence: by practice

Percentage of patients recorded on GP QOF registers as having COPD, 2018/19

Practice — West Kent CCG - - - Kent




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded COPD prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having COPD, 2018/19

CCG Kent England




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded COPD prevalence: trend

Percentage of patients recorded on GP QOF registers as having COPD, 2010/11 to 2018/19




Increasing with a faster pace of change than England

Source: QOF, prepared by KPHO (ZC), Dec-19



Undiagnosed COPD (estimated): by general practice

Modelled estimates of the prevalence of undiagnosed COPD, all ages, 2015




Source: Imperial College London, prepared by KPHO (ZC), Feb -20



Undiagnosed COPD (estimated): by CCG

Modelled estimates of the prevalence of undiagnosed COPD, all ages, 2015




Source: Imperial College London, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions for COPD: by electoral ward

Age standardised rate per 100,000 adults aged 35+, ICD 10: J40-44 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO SR, Nov-19

Wards with no data have been subject to suppression rules



Emergency hospital admissions for COPD: by electoral ward

Age standardised rate per 100,000 adults aged 35+, ICD 10: J40-44 (primary diagnosis), 2014/15-2018/19



Age standardised rate per 100,000
adults aged 35+

- Greater than 503.3
- 371.9 to 503.3
- 283.9 to 371.9
- 196.5 to 283.9
- Less than 196.5


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19

Wards in grey are subject to suppression rules



Emergency hospital admissions for COPD: by CCG

Age standardised rate per 100,000 adults aged 35+, ICD 10: J40-44 (primary diagnosis), 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO SR, Nov-19



Emergency hospital admissions for COPD: trend

Age standardised rate per 100,000 adults aged 35+, ICD 10: J40-44 (primary diagnosis), 2011/12 to 2018/19




No significant change compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions for COPD: by deprivation

Age standardised rate per 100,000 adults aged 35+, ICD 10: J40-44 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change compared with a stable trend for Kent
Most deprived trend - no significant change compared with an stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Recorded asthma prevalence: by practice

Percentage of patients recorded on GP QOF registers as having Asthma, 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded asthma prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having Asthma, 2018/19

CCG Kent England




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded asthma prevalence: trend

Percentage of patients recorded on GP QOF registers as having Asthma, 2010/11 to 2018/19



Stable with a similar pace of change to England

Source: QOF, prepared by KPHO (ZC), Dec-19



Mental health

Prevalence of serious mental health conditions

Hospital admissions for mental health conditions

Prevalence of learning disabilities

Suicides


Hospital admissions for self harm



Recorded prevalence of serious mental health conditions: by practice

The percentage of patients recorded on GP QOF registers as having schizophrenia, bipolar affective disorder, other psychoses or on lithium therapy, 2018/19

Practice — West Kent CCG - - - Kent




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded prevalence of serious mental health conditions: by CCG

The percentage of patients recorded on GP QOF registers as having schizophrenia, bipolar affective disorder, other psychoses or on lithium therapy, 2018/19

CCG Kent England




Source: QOF, prepared by KPHO (ZC), Dec-19



Recorded prevalence of serious mental health conditions: trend

The percentage of patients recorded on GP QOF registers as having schizophrenia, bipolar affective disorder, other psychoses or on lithium therapy, 2010/11 to 2018/19



Increasing with a similar pace of change to England


Source: QOF, prepared by KPHO (ZC), Dec-19



Hospital admissions for mental health conditions: by electoral ward

Age standardised rate per 100,000 resident population, ICD 10: F (primary diagnosis) , 2014/15-2018/19

Ward West Kent CCG Kent




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

Wards with no data have been subject to suppression rules



Hospital admissions for mental health conditions: by electoral ward

Age standardised rate per 100,000 resident population, ICD 10: F (primary diagnosis) , 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

Wards in grey are subject to suppression rules



Hospital admissions for mental health conditions: by CCG

Age standardised rate per 100,000 resident population, ICD 10: F (primary diagnosis) , 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Hospital admissions for mental health conditions: trend

Age standardised rate per 100,000 resident population, ICD 10: F (primary diagnosis) , 2011/12 - 2015/16 to 2014/15 - 2018/19




Decreasing with a slower pace of change than Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Hospital admissions for mental health conditions: by deprivation

Age standardised rate per 100,000 resident population, ICD 10: F (primary diagnosis) , 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing compared with a stable trend for England
Most deprived trend - decreasing with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Recorded prevalence of learning disabilities: by practice

Percentage of patients recorded on GP QOF registers as having a learning disability, 2018/19




Source: QOF, prepared by KPHO (ZC), Feb-19



Recorded prevalence of learning disabilities: by CCG

Percentage of patients recorded on GP QOF registers as having a learning disability, 2018/19




Source: QOF, prepared by KPHO (ZC), Feb-19



Recorded prevalence of learning disabilities: trend

Percentage of patients recorded on GP QOF registers as having a learning disability, 2014/15 to 2018/19




Source: QOF, prepared by KPHO (ZC), Dec-19



Suicide rate: by CCG

Age standardised rate per 100,000 people aged 10+, classified by underlying cause of death (ICD-10: X60-X84 (ages 10+ only), Y10-Y34 (ages 15+ only)), 2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Suicide rate: trend

Age standardised rate per 100,000 people aged 10+, classified by underlying cause of death (ICD-10: X60-X84 (ages 10+ only), Y10-Y34 (ages 15+ only)), 2010 - 2012 to 2015 - 2017




No significant change compared with a stable trend for Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Suicide rate: by deprivation

Age standardised rate per 100,000 people aged 10+, classified by underlying cause of death (ICD-10: X60-X84 (ages 10+ only), Y10-Y34 (ages 15+ only)), 2010 - 2014 to 2013 - 2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Emergency hospital admissions for self-harm: by electoral ward

Age standardised rate per 100,000 resident population, ICD 10: X60-X84 (main recorded cause), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

Wards with no data have been subject to suppression rules



Emergency hospital admissions for self-harm: by electoral ward

Age standardised rate per 100,000 resident population, ICD 10: X60-X84 (main recorded cause), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards in grey are subject to suppression rules



Emergency hospital admissions for self-harm: by CCG

Age standardised rate per 100,000 resident population, ICD 10: X60-X84 (main recorded cause), 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Emergency hospital admissions for self-harm: trend

Age standardised rate per 100,000 resident population, ICD 10: X60-X84 (main recorded cause), 2011/12 - 2015/16 to 2014/15 - 2018/19




No significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Emergency hospital admissions for self-harm: by deprivation

Age standardised rate per 100,000 resident population, ICD 10: X60-X84 (main recorded cause), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable compared with a increasing trend for England
Most deprived trend - decreasing with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

