

Contents

Overview

Demographics

Wellbeing & disease prevalence

Mortality

Healthcare usage



Ageing Well: Older people in Kent

Heath and Social Care Maps



In the 10 years between 2016 and 2026

65-84 year olds



Aged 85+



Source: ONS population projections

MULTIMORBIDITY

age 65+, developmental statistics



have 2 or more long term conditions recorded by their GP


Source: KID, 2017

LIFE EXPECTANCY

at age 65




Ward-level life expectancy (men)




Source: PCMD, 2013-2017

HOSPITAL ADMISSIONS

Age 65+





Source: HES **Images from Noun project**

Demographics


Population projections: Age 65+

Population projections: Age 85+



Persons aged 65 years and over: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)



Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Wellbeing & disease prevalence

Life expectancy at 65

Dementia prevalence

Multimorbidity: Age 65+




Life expectancy at 65 years, male: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

CCG —Kent








Life expectancy at 65 years, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017








Life expectancy at 65 years, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - increasing Most deprived trend - stable




Life expectancy at 65 years, female: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

CCG — Kent








Life expectancy at 65 years, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017








Life expectancy at 65 years, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - stable Most deprived trend - stable




Recorded dementia prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19

CCG — Kent — England






Source: QOF, prepared by KPHO (ZC), Nov-19



Recorded dementia prevalence: trend

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2010/11 to 2018/19




Source: QOF, prepared by KPHO (ZC), Nov-19



Multimorbidity in people aged 65 and over (developmental statistics): by CCG

Patients recorded by their GP as having 2 or more long-term conditions, age standardised rate per 100,000 people aged 65 years and over, 2017





Source: Kent Integrated Dataset (KID), prepared by KPHO (TG), Apr-18



Mortality

Mortality from all causes: Age 65+

Cause of death: Age 65+

Mortality from cancers: Age 65+


Mortality from cardiovascular disease: Age 65+

Mortality from respiratory disease: Age 65+



Mortality from all causes for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017






Mortality from all causes for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2010 to 2017








Mortality from all causes for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlyingcause of death (ICD-10: A00-Y99), 2010 - 2012 to 2015 - 2017




Least deprived trend - stable Most deprived trend - stable



Causes of mortality


Underlying cause of death for persons aged 65 years and over, 2017





Mortality from cancers for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017






Mortality from cancers for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 to 2017








Mortality from cancers for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 - 2013 to 2015 - 2017




Least deprived trend - stable Most deprived trend - stable



Mortality from cardiovascular disease for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017






Mortality from cardiovascular disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2010 to 2017








Mortality from cardiovascular disease for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2010 - 2012 to 2015 - 2017




Least deprived trend - decreasing Most deprived trend - decreasing



Mortality from respiratory disease for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99) , 2013-2017








Mortality from respiratory disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 to 2017








Mortality from respiratory disease for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 - 2014 to 2013 - 2017



Least deprived trend - stable Most deprived trend - stable



Healthcare usage

A&E attendances: Age 65+

Elective hospital admissions: Age 65+

Emergency hospital admissions: Age 65+

Hospital admissions for falls: Age 65+

Hospital admissions caused by hip fracture: Age 65+

Hospital admissions caused by flu: Age 65+


Hospital admissions involving dementia: Age 65+



Accident & Emergency attendances in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepare \, d \, by \, KPHO \, (MP), \, Dec-19$



Accident & Emergency attendances in people aged 65 and over: trend


Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19





Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12-2013/14 to 2016/17-2018/19




Least deprived trend - increasing with a faster pace of change than England Most deprived trend - increasing with a faster pace of change than England



Elective hospital admissions in people aged 65 and over: by CCG


Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19





Elective hospital admissions in people aged 65 and over: trend


Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19





Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - stable compared with a increasing trend for England Most deprived trend - increasing with a similar pace of change to England


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions due to falls in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19






Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions due to falls in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2010/11 to 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions due to falls in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - decreasing compared with a increasing trend for England

Most deprived trend - stable with a similar pace of change to England


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Dec-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19






Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable compared with a decreasing trend for England Most deprived trend - stable compared with a decreasing trend for England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2013/14 to 2016/17 - 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2013/14 to 2016/17 - 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

