



KENT PUBLIC HEALTH
OBSERVATORY

Ageing Well:

Older people in Tunbridge Wells

Contents

Overview

Demographics

Wellbeing & disease prevalence

Mortality

Healthcare usage

User guide



Ageing Well: older people in Tunbridge Wells


POPULATION GROWTH

In the 10 years between 2016 and 2026

65-84 year olds



Aged 85+



Source: ONS population projections

MULTIMORBIDITY

age 65+, developmental statistics

44%

have 2 or more long term conditions recorded by their GP

Source: KID, 2017

LIFE EXPECTANCY

at age 65



Ward-level life expectancy (men)

Highest

21.9 Goudhurst & Lamberhurst

19.9 Tunbridge Wells

18.9 Kent


16.7 St John's

Lowest

Source: PCMD, 2013-2017

HOSPITAL ADMISSIONS

Age 65+



In 2018/19:



admissions for falls

admissions for fracture of femur



Source: HES

Images from Noun project

Demographics

Population numbers: Age 65+

Population projections: Age 65+

Population numbers: Age 85+


Population Numbers: Summary table

Income Deprivation Affecting Older People Index (IDAOPI)



Persons aged 65 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: ONS, prepared by KPHO (LLY), Dec-19

Wards with no data have been subject to suppression rules



Persons aged 65 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: Office for National Statistics mid-year estimates, prepared by KPHO (LLY), Dec-19



Persons aged 65 years and over: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)




Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Persons aged 85 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: ONS, prepared by KPHO (ZC), Dec-19

Wards with no data have been subject to suppression rules



Persons aged 85 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018



Source: Office for National Statistics mid-year estimates, prepared by KPHO (ZC), Feb-20




Mid 2018 Population Estimates
by Electoral Ward
Source: ONS

Ward Code 2011	Ward Name	65+		85+	
		Number	%	Number	%
E05005130	Benenden and Cranbrook	1737	21.9%	325	4.1%
E05005131	Brenchley and Horsmonden	1214	22.4%	139	2.6%
E05005132	Broadwater	904	18.8%	117	2.4%
E05005133	Capel	469	19.7%	67	2.8%
E05005134	Culverden	1395	15.8%	275	3.1%
E05005135	Frittenden and Sissinghurst	591	27.2%	65	3.0%
E05005136	Goudhurst and Lamberhurst	894	17.8%	104	2.1%
E05005137	Hawkhurst and Sandhurst	1538	24.4%	234	3.7%
E05005138	Paddock Wood East	942	23.4%	133	3.3%
E05005139	Paddock Wood West	825	20.6%	93	2.3%
E05005140	Pantiles and St Mark's	1398	19.9%	255	3.6%
E05005141	Park	1770	22.5%	391	5.0%
E05005142	Pembury	1536	25.2%	256	4.2%
E05005143	Rusthall	1022	20.4%	174	3.5%
E05005146	Sherwood	1181	15.1%	148	1.9%
E05005147	Southborough and High Brooms	1042	12.9%	135	1.7%
E05005148	Southborough North	1047	24.7%	240	5.7%
E05005149	Speldhurst and Bidborough	1567	25.0%	292	4.7%
E05005144	St James'	670	9.5%	103	1.5%
E05005145	St John's	867	11.4%	152	2.0%
Tunbridge Wells Total		22609	19.2%	3698	3.1%




Income deprivation affecting older people (IDAOP1): by electoral ward

The percentage of those aged 60 or over who experience income deprivation, 2019



The percentage of those aged 60 or over who experience income deprivation



Source: DCLG, prepared by KPHO (MP), Oct-19



Wellbeing & disease prevalence

Life expectancy at 65


Dementia prevalence

Multimorbidity: Age 65+



Life expectancy at 65 years, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, male: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent

Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, female: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent

Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Recorded dementia prevalence: by practice

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19




Source: QOF, prepared by KPHO (ZC), Nov-19



Recorded dementia prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19




Source: QOF, prepared by KPHO (ZC), Nov-19



Recorded dementia prevalence: trend

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2010/11 to 2018/19




Source: QOF, prepared by KPHO (ZC), Nov-19



Multimorbidity in people aged 65 and over (developmental statistics): by district

Patients recorded by their GP as having 2 or more long-term conditions, age standardised rate per 100,000 people aged 65 years and over, 2017



Source: Kent Integrated Dataset (KID), prepared by KPHO (TG), Apr-18



Mortality

Mortality from all causes: Age 65+

Cause of death: Age 65+

Mortality from cancers: Age 65+


Mortality from cardiovascular disease: Age 65+

Mortality from respiratory disease: Age 65+



Mortality from all causes for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from all causes for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from all causes for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from all causes for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2010 to 2017




No significant change compared with a stable trend for Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from all causes for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2010 - 2012 to 2015 - 2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Causes of mortality

Underlying cause of death for persons aged 65 years and over, 2017




Source: PCMD, prepared by KPHO (RK), Jul-18



Mortality from cancers for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18




Mortality from cancers for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017



**Age standardised rate per 100,000
people aged 65 and over**




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from cancers for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from cancers for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 to 2017




No significant change compared with a stable trend for Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from cancers for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 - 2013 to 2015 - 2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from cardiovascular disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from cardiovascular disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from cardiovascular disease for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from cardiovascular disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2010 to 2017




Decreasing with a similar pace of change to Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from respiratory disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99) , 2013-2017




Source: PCMD, prepared by KPHO (RK), Nov-18




Mortality from respiratory disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99) , 2013-2017



Age standardised rate per 100,000 people aged 65 and over




Source: PCMD, prepared by KPHO (RK), Jul-18



Mortality from respiratory disease for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99) , 2013-2017




Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from respiratory disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 to 2017




No significant change compared with a stable trend for Kent

Source: PCMD, prepared by KPHO (RK), Nov-18



Mortality from respiratory disease for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 - 2014 to 2013 - 2017



Source: PCMD, prepared by KPHO (RK), Nov-18



Healthcare usage

A&E attendances: Age 65+

Elective hospital admissions: Age 65+

Emergency hospital admissions: Age 65+

Hospital admissions for falls: Age 65+

Hospital admissions caused by hip fracture: Age 65+


Hospital admissions caused by flu: Age 65+

Hospital admissions involving dementia: Age 65+



Accident & Emergency attendances in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19

Wards with no data have been subject to suppression rules




Accident & Emergency attendances in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19



**Age standardised rate per 100,000
people aged 65 and over**




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Accident & Emergency attendances in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Accident & Emergency attendances in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a slower pace of change than England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - increasing with a faster pace of change than England


Most deprived trend - increasing with a faster pace of change than England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Elective hospital admissions in people aged 65 and over: by electoral ward

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19

Wards with no data have been subject to suppression rules




Elective hospital admissions in people aged 65 and over: by electoral ward

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19



Age standardised rate of per 100,000 people aged 65 and over




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Elective hospital admissions in people aged 65 and over: by district

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Elective hospital admissions in people aged 65 and over: trend

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - stable compared with a increasing trend for England


Most deprived trend - stable with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19



Emergency hospital admissions in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20




Emergency hospital admissions in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2014/15-2018/19



Age standardised rate per 100,000
people aged 65 and over




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - stable compared with a increasing trend for England


Most deprived trend - increasing with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions due to falls in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions due to falls in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions due to falls in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions due to falls in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2010/11 to 2018/19




Decreasing compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions due to falls in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - decreasing compared with a increasing trend for England


Most deprived trend - stable with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Dec-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15 -2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




No significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable compared with a decreasing trend for England


Most deprived trend - stable compared with a decreasing trend for England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20




Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19



**Age standardised rate per 100,000
people aged 65 and over**




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England


Most deprived trend - increasing with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

Wards with no data have been subject to suppression rules



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a faster pace of change than Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England

Most deprived trend - increasing with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

