

Contents

Overview

Demographics

Wellbeing & disease prevalence

Mortality

Healthcare usage



Ageing Well: Older people in Ashford

Heath and Social Care Maps

POPULATION GROWTH

In the 10 years between 2016 and 2026

65-84 year olds



Aged 85+



Source: ONS population projections

MULTIMORBIDITY

age 65+, developmental statistics



have 2 or more long term conditions recorded by their GP


Source: KID, 2017

LIFE EXPECTANCY

at age 65




Ward-level life expectancy (men)




Source: PCMD, 2013-2017

HOSPITAL ADMISSIONS

Age 65+





Images from Noun project

Demographics

Population numbers: Age 65+

Population projections: Age 65+

Population numbers: Age 85+


Population Numbers: Summary table

Income Deprivation Affecting Older People Index (IDAOPI)



Persons aged 65 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: ONS, prepared by KPHO (LLY), Dec-19



Persons aged 65 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018



Office for National Statistics midyear estimates




Source: Office for National Statistics mid-year estimates, prepared by KPHO (LLY), Dec-19



Persons aged 65 years and over: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)






Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Persons aged 85 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: ONS, prepared by KPHO (ZC), Dec-19



Persons aged 85 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018



Source: Office for National Statistics mid-year estimates, prepared by KPHO (ZC), Feb-20



Greater than 212

155 to 212 114 to 155 81 to 114 Less than 81


year estimates

Ward Code 2011	Ward Name	65	65+		85+	
		Number	%	Number	%	
E05004867	Aylesford Green	544	13.3%	44	1.1%	
E05004868	Beaver	1044	16.8%	121	1.9%	
E05004869	Biddenden	722	27.5%	81	3.1%	
E05004870	Bockhanger	728	26.1%	121	4.3%	
E05004871	Boughton Aluph and Eastwell	483	14.7%	58	1.8%	
E05004872	Bybrook	621	22.5%	76	2.8%	
E05004873	Charing	833	31.2%	133	5.0%	
E05004874	Downs North	627	24.4%	62	2.4%	
E05004875	Downs West	658	26.4%	97	3.9%	
E05004876	Godinton	932	11.5%	103	1.3%	
E05004877	Great Chart with Singleton North	434	10.8%	57	1.4%	
E05004878	Highfield	455	18.5%	52	2.1%	
E05004879	Isle of Oxney	747	28.2%	59	2.2%	
E05004880	Kennington	640	27.9%	85	3.7%	
E05004881	Little Burton Farm	412	13.7%	58	1.9%	
E05004882	Norman	433	14.0%	45	1.5%	
E05004883	North Willesborough	1161	22.5%	159	3.1%	
E05004884	Park Farm North	467	9.5%	59	1.2%	
E05004885	Park Farm South	145	7.4%	11	0.6%	
E05004886	Rolvenden and Tenterden West	811	32.8%	113	4.6%	
E05004887	St Michaels	739	30.8%	140	5.8%	
E05004888	Saxon Shore	1430	26.4%	165	3.0%	
E05004889	Singleton South	552	16.5%	81	2.4%	
E05004890	South Willesborough	346	8.7%	29	0.7%	
E05004891	Stanhope	298	7.4%	25	0.6%	
E05004892	Stour	975	17.3%	151	2.7%	
E05004893	Tenterden North	851	39.0%	126	5.8%	
E05004894	Tenterden South	824	34.5%	160	6.7%	
E05004895	Victoria	818	12.6%	77	1.2%	
E05004896	Washford	390	10.0%	25	0.6%	
E05004897	Weald Central	1350	25.9%	158	3.0%	
E05004898	Weald East	563	13.8%	47	1.2%	
E05004899	Weald North	655	26.7%	69	2.8%	
E05004900	Weald South	1623	28.8%	243	4.3%	
E05004901	Wye	660	25.4%	132	5.1%	
Ashford Total		24971	19.3%	3222	2.5%	



Income deprivation affecting older people (IDAOPI): by electoral ward

The percentage of those aged 60 or over who experience income deprivation, 2019



Source: DCLG, prepared by KPHO (MP), Oct-19



Wellbeing & disease prevalence

Life expectancy at 65


Dementia prevalence


Multimorbidity: Age 65+



Life expectancy at 65 years, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017







Life expectancy at 65 years, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017



Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18

Wards in grey had total person years below 5,000




Life expectancy at 65 years, male: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

District — Kent








Life expectancy at 65 years, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent



Life expectancy at 65 years, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - increasing


Most deprived trend - stable



Life expectancy at 65 years, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017








Life expectancy at 65 years, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017






Life expectancy at 65 years, female: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

District — Kent


Life expectancy in years





Life expectancy at 65 years, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent



Life expectancy at 65 years, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017




Least deprived trend - stable Most deprived trend - stable



Recorded dementia prevalence: by practice

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19





Source: QOF, prepared by KPHO (ZC), Nov-19




Recorded dementia prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19








Source: QOF, prepared by KPHO (ZC), Nov-19



Recorded dementia prevalence: trend

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2010/11 to 2018/19




Source: QOF, prepared by KPHO (ZC), Nov-19



Multimorbidity in people aged 65 and over (developmental statistics): by district

Patients recorded by their GP as having 2 or more long-term conditions, age standardised rate per 100,000 people aged 65 years and over, 2017





Source: Kent Integrated Dataset (KID), prepared by KPHO (TG), Apr-18



Mortality

Mortality from all causes: Age 65+

Cause of death: Age 65+

Mortality from cancers: Age 65+


Mortality from cardiovascular disease: Age 65+

Mortality from respiratory disease: Age 65+



Mortality from all causes for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017





Mortality from all causes for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2015-2017





Mortality from all causes for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017






Mortality from all causes for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2010 to 2017






No significant change compared with a stable trend for Kent



Mortality from all causes for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlyingcause of death (ICD-10: A00-Y99), 2010 - 2012 to 2015 - 2017




Least deprived trend - stable Most deprived trend - stable



Causes of mortality


Underlying cause of death for persons aged 65 years and over, 2017





Mortality from cancers for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017





Mortality from cancers for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017





Mortality from cancers for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017






Mortality from cancers for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 to 2017






No significant change compared with a stable trend for Kent



Mortality from cancers for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 - 2013 to 2015 - 2017




Least deprived trend - stable Most deprived trend - stable



Mortality from cardiovascular disease for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017





Mortality from cardiovascular disease for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017





Mortality from cardiovascular disease for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017






Mortality from cardiovascular disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2010 to 2017







Decreasing with a similar pace of change to Kent



Mortality from respiratory disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2013-2017








Mortality from respiratory disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2013-2017






Mortality from respiratory disease for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99) , 2013-2017


District —Kent





Mortality from respiratory disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 to 2017




No significant change compared with a stable trend for Kent



Mortality from respiratory disease for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 - 2014 to 2013 - 2017



Least deprived trend - stable Most deprived trend - stable



Healthcare usage

A&E attendances: Age 65+

Elective hospital admissions: Age 65+

Emergency hospital admissions: Age 65+

Hospital admissions for falls: Age 65+

Hospital admissions caused by hip fracture: Age 65+


Hospital admissions caused by flu: Age 65+


Hospital admissions involving dementia: Age 65+



Accident & Emergency attendances in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19






Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19

Wards with no data have been subject to supression rules



Accident & Emergency attendances in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19




people aged 65 and over

Greater than 56,038.8 47,196.9 to 56,038.8 41,336.5 to 47,196.9 37,268.7 to 41,336.5 Less than 37,268.7

Accident & Emergency attendances in people aged 65 and over: by district


Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19





Accident & Emergency attendances in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a slower pace of change than England



Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - no significant change compared with an increasing trend for Kent Most deprived trend - increasing with a slower pace of change than Kent



Elective hospital admissions in people aged 65 and over: by electoral ward


Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19





Elective hospital admissions in people aged 65 and over: by electoral ward

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19






Elective hospital admissions in people aged 65 and over: by district

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19








Elective hospital admissions in people aged 65 and over: trend

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Decreasing compared with a stable trend for Kent



Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - decreasing compared with an stable trend for Kent Most deprived trend - decreasing compared with a stable trend for Kent



Emergency hospital admissions in people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19





Emergency hospital admissions in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2014/15-2018/19






Emergency hospital admissions in people aged 65 and over: by district

District

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19

Kent



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20

Canterbury

Dartford

Dover

Gravesham

Maidstone

Sevenoaks Folkestone &

Hythe

Swale



Tonbridge &

Malling

Thanet

Tunbridge


Wells

0

Ashford

Emergency hospital admissions in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent



Emergency hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19





Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - increasing with a similar pace of change to Kent



Emergency hospital admissions due to falls in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19






Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19

Wards with no data have been subject to suppression rules




Emergency hospital admissions due to falls in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19



Age standardised rate per 100,000 people aged 65 and over



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19


Wards with no data have been subject to suppression rules



Emergency hospital admissions due to falls in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19








Emergency hospital admissions due to falls in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2010/11 to 2018/19




No significant change compared with a stable trend for Kent



Emergency hospital admissions due to falls in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - decreasing compared with a increasing trend for England

Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19





Emergency hospital admissions caused by hip fracture in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19


Wards in grey are subject to supression rules



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Nov-19$



Emergency hospital admissions caused by hip fracture in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




Decreasing with a similar pace of change to Kent



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable compared with a decreasing trend for England Most deprived trend - stable compared with a decreasing trend for England



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19





Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19






Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepare \, d \, by \, KPHO \, (ZC), \, Feb-20 \, Appendix \, A$



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Dec-19$

Wards with no data have been subject to supression rules



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19





Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by district


Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19





Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England

