
©BSERVATORY


Starting Well: Children in Sevenoaks

Contents





Starting Well: Children in Sevenoaks



Demographics

Population numbers: Ages 0 to 4

Population projections: Ages 0 to 4

Population numbers: Ages 0 to 19

Population projections: Ages 0 to 19


Population Numbers: Summary table

Income Deprivation Affecting Children Index (IDACI)



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (LLY), Oct-19



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (MP), Oct-19



Children aged 0-4 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)




• Sevenoaks KCC housing-led projection Sevenoaks ONS projection

Source: ONS, KCC, prepared by KPHO (LLY), Jan-20

Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: Office for National Statistics mid-year estimates, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018



Office for National Statistics midyear estimates




Greater than 1,822 1,442 to 1,822 1,132 to 1,442 729 to 1,132 Less than 729

Source: ONS, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (October 2018)



Source: ONS, KCC, prepared by KPHO (RK), Nov-18


Mid 2018 Population Estimates for Children and Young People by Electoral Ward Source: ONS

Ward Code 2011	Ward Name	0-4		0-19	
		Number	%	Number	%
E05005008	Ash	395	6.5%	1512	24.9%
E05005009	Brasted, Chevening and Sundridge	399	5.9%	1759	26.2%
E05005010	Cowden and Hever	92	4.4%	451	21.4%
E05005011	Crockenhill and Well Hill	87	4.5%	389	20.1%
E05005012	Dunton Green and Riverhead	462	7.8%	1657	27.8%
E05005013	Edenbridge North and East	307	6.1%	1165	23.0%
E05005014	Edenbridge South and West	300	6.5%	1145	24.7%
E05005015	Eynsford	85	4.5%	383	20.3%
E05005016	Farningham, Horton Kirby and South Darenth	268	5.2%	1093	21.3%
E05005017	Fawkham and West Kingsdown	249	4.1%	1097	18.2%
E05005018	Halstead, Knockholt and Badgers Mount	167	4.9%	762	22.3%
E05005019	Hartley and Hodsoll Street	253	4.2%	1178	19.5%
E05005020	Hextable	192	4.7%	796	19.7%
E05005021	Kemsing	247	5.8%	1032	24.3%
E05005022	Leigh and Chiddingstone Causeway	154	6.7%	563	24.5%
E05005023	Otford and Shoreham	261	5.5%	1190	25.2%
E05005024	Penshurst, Fordcombe and Chiddingstone	109	4.3%	610	23.9%
E05005025	Seal and Weald	170	3.9%	1132	26.2%
E05005026	Sevenoaks Eastern	314	7.3%	1202	28.1%
E05005027	Sevenoaks Kippington	266	5.1%	1462	28.2%
E05005028	Sevenoaks Northern	331	7.1%	1292	27.7%
E05005029	Sevenoaks Town and St John's	451	6.2%	2060	28.3%
E05005030	Swanley Christchurch and Swanley Village	384	6.2%	1434	23.2%
E05005031	Swanley St Mary's	336	7.2%	1244	26.6%
E05005032	Swanley White Oak	429	6.7%	1507	23.6%
E05005033	Westerham and Crockham Hill	205	4.6%	1086	24.3%
Sevenoaks Total		6913	5.7%	29201	24.3%



Income deprivation affecting children (IDACI): by electoral ward

The percentage of children aged 0-15 years living in income deprived households, 2019



Source: DCLG, prepared by KPHO (LLY), Jan-20



Birth statistics

General fertility rate

Low birth weight


Infant mortality

Teenage conceptions



General fertility rate: by electoral ward


The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018



Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20

General fertility rate: by electoral ward


The crude rate of total live births per 1,000 women aged 15 to 44, 2016-18





General fertility rate: by district


The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018





General Fertility Rate: trend

The crude rate of total live births per 1,000 women aged 15-44 years, 2010/11 to 2018/19




No significant change compared with a stable trend for Kent



General Fertility Rate: by deprivation


The crude rate of total live births per 1,000 women aged 15 - 44 years, 2010-2012 to 2016-2018






Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




The percentage of live births with low birth weight





Low birth weight: by district


The percentage of live births with low birth weight, 2500 grams or less, 2013-2015





Low birth weight: trend

The percentage of live births with low birth weight, 2500 grams or less, 2006 to 2015



No significant change compared with a decreasing trend for Kent


Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Starting Well: Children in Sevenoaks

Low birth weight: by deprivation

The percentage of live births with low birth weight, 2500 grams or less, 2006 - 2008 to 2013 - 2015




Least deprived trend - stable

Most deprived trend - decreasing



Infant mortality rate: trend

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2008 to 2014 - 2016




Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



No significant change compared with a decreasing trend for Kent

Infant mortality rate: by district


Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2012-2016





Infant mortality rate: by deprivation

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2010 to 2012 - 2016




Least deprived trend - stable Most deprived trend - decreasing



Under 18 teenage conceptions: trend

Conception rate per 1,000 15-17 year olds, residence based, 2001 to 2017




Source: ONS, prepared by KPHO (ZC), Feb-20



Under 18 teenage conceptions: by district

Conception rate per 1,000 15-17 year olds, residence based, 2017



Crude rate per 1,000 relevant resident population

Source: ONS, prepared by KPHO (LLY), Feb-20

Wellbeing

Life expectancy at birth

Smoking at time of delivery

Breastfeeding: New born visit

Breastfeeding: 6-8 weeks

Immunisations: Dtap /IPV / Hib (1 year)

Immunisations: MMR for two doses (5 years)


Obesity & excess weight: Year R

Obesity & excess weight: Year 6

Good level of development

Tooth decay: Age 5








Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017



Life expectancy in years




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

Wards in grey have total person years below 5,000



Life expectancy at birth, male: by district


Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017





Life expectancy at birth, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




Increasing compared with a stable trend for Kent




Life expectancy at birth, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017








Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017



Life expectancy in years




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

Wards in grey did not meet 5,000 total person years



Life expectancy at birth, female: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




Increasing compared with a stable trend for Kent

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Smoking status at time of delivery: by district

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2017/18




Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



Smoking status at time of delivery: trend

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2010/11 to 2017/18



Decreasing compared with a stable trend for Kent


Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



Starting Well: Children in Sevenoaks

New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019



Percentage




Greater than 55.6% 61.9% to 55.6% 69.0% to 61.9% 100.0% to 69.0% Less than 100.0%



New born visit breastfeeding: by district

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Percentage



Breastfeeding at 6-8 weeks: by electoral ward


Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019





Breastfeeding at 6-8 weeks: by electoral ward


Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019





Breastfeeding at 6-8 weeks: by district


Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019





Population vaccination coverage - Dtap/IPV/Hib (1 year old): by electoral ward


Percentage of eligible children having immunisation, 2018/19



Source: NHS England, prepared by KPHO (MP), Dec-19

Population vaccination coverage - Dtap/IPV/Hib (1 year old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19




Increasing compared with a decreasing trend for England

Source: NHS England, prepared by KPHO (ZC), Dec-19



Population vaccination coverage - Dtap/IPV/Hib (1 year old): by CCG

Percentage of eligible children having immunisation, 2018/19




Percentage

Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - MMR for two doses (5 years old): by electoral ward


Percentage of eligible children having immunisation, 2018/19



Source: NHS England, prepared by KPHO (MP), Dec-19

Population vaccination coverage - MMR for two doses (5 years old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19




Increasing compared with a decreasing trend for England

Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - MMR for two doses (5 years old): by CCG

Percentage of eligible children having immunisation, 2018/19




Percentage

Source: NHS England, prepared by KPHO (MP), Dec-19



Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

Wards with no data have been subject to supression rules



Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19



Percentage of reception year pupils measured as obese




Greater than 11.3% 9.7% to 11.3% 8.3% to 9.7% 6.7% to 8.3% Less than 6.7%



Obesity in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Percentage



Obesity in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



No significant change compared with a stable trend for Kent


Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Starting Well: Children in Sevenoaks

Obesity in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Least deprived trend - stable

Most deprived trend - increasing



Excess weight in reception year children aged 4-5 years: by electoral ward


Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19





Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Percentage of reception year pupils measured as overweight or obese

Less than 19.1%



Excess weight in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19





Excess weight in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



No significant change compared with a stable trend for Kent


Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Starting Well: Children in Sevenoaks

Excess weight in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Least deprived trend - stable

Most deprived trend - increasing



Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

Wards with no data have been subject to supression rules



Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19



Percentage of year six pupils measured as obese




16.9% to 19.1% 13.6% to 16.9% Less than 13.6%



Obesity in year six children aged 10-11 years: by district

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Percentage



Obesity in year six children aged 10-11 years: trend

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Obesity in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - stable

Most deprived trend - increasing



Excess weight in year six children aged 10-11 years: by electoral ward


Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19





Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19




Percentage of year six pupils measured as overweight or obese

Greater than 37.0% 33.9% to 37.0% 31.3% to 33.9% 26.5% to 31.3% Less than 26.5%

Excess weight in year six children aged 10-11 years: by district


Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19





Excess weight in year six children aged 10-11 years: trend

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



No significant change compared with a stable trend for Kent


Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Starting Well: Children in Sevenoaks

Excess weight in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by district

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Percentage

Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: trend

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2013 to 2019



Increasing with a similar pace of change to Kent


Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Tooth decay in children aged five: by district

The percentage of children at age 5 years, within the survey sample, who experienced decayed, missing or extracted teeth,


2017



Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (TG), May-18

Tooth decay in children aged five: trend

The percentage of children at age 5 years (within the survey sample) who experienced decayed, missing or extracted teeth, 2009 to 2017



No significant change compared with a stable trend for Kent

Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (RK), Jun-18

Starting Well: Children in Sevenoaks

Healthcare usage


A&E attendances

Elective hospital admissions

Emergency hospital admissions




Accident & Emergency attendances in children aged 0-4 years: by electoral ward



Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19


Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



Accident & Emergency attendances in children aged 0-4 years: by district


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19





Accident & Emergency attendances in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a similar pace of change to Kent



Accident & Emergency attendances in children aged 0-4 years: by deprivation


Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - increasing with a faster pace of change than England Most deprived trend - increasing with a similar pace of change to England



Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19



Accident & Emergency attendances in children & young people aged 0-19 years: by district




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan -20

Starting Well: Children in Sevenoaks

Accident & Emergency attendances in children & young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13-2018/19




Increasing with a similar pace of change to Kent



Accident & Emergency attendances in children & young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13 -2014/5 to 2016/17 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England



Elective hospital admissions in children aged 0-4 years: by electoral ward


Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19






Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19




Elective hospital admissions in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19



Elective hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent



Elective hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12-2015/16 to 2014/15-2018/19




Least deprived trend - stable with a similar pace of change to England

Most deprived trend - increasing compared with a decreasing trend for England



Elective hospital admissions in children and young people aged 0-19 years: by electoral ward




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Elective hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19





Elective hospital admissions in children and young people aged 0-19 years: by district




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20

Starting Well: Children in Sevenoaks

Elective hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




Increasing with a similar pace of change to Kent



Elective hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - increasing compared with a stable trend for England Most deprived trend - increasing compared with a stable trend for England



Emergency hospital admissions in children aged 0-4 years: by electoral ward


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19





Emergency hospital admissions in children aged 0-4 years: by electoral ward


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19






Emergency hospital admissions in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



Emergency hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent



Emergency hospital admissions in children aged 0-4 years: by deprivation


Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing compared with a stable trend for England



Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19



Emergency hospital admissions in children and young people aged 0-19 years: by district




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Starting Well: Children in Sevenoaks

Emergency hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent



Emergency hospital admissions in children and young people aged 0-19 years: by deprivation


Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable compared with a increasing trend for England Most deprived trend - increasing compared with a stable trend for England



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by district




Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2014/15-2018/19



Emergency hospital admissions for asthma in children and young people aged 0-19 years: trend

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Decreasing compared with a stable trend for Kent




Emergency hospital admissions for asthma in children and young people aged 0-19 years: by deprivation

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable with a similar pace of change to England Most deprived trend - stable with a similar pace of change to England


Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by district



Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: trend

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




No significant change compared with a decreasing trend for Kent

 ${\tt Source:} {\tt Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by {\tt KPHO (MP), Jan-20}$



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by deprivation


Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - decreasing with a similar pace of change to England



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward




Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by district




Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: trend

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Decreasing with a similar pace of change to Kent




Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by deprivation

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - decreasing with a similar pace of change to England






Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward


Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19








Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: trend

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Increasing compared with a decreasing trend for Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by deprivation

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable with a similar pace of change to England Most deprived trend - decreasing compared with a stable trend for England



Hospital admissions for self-harm in children and young people aged 10-24 years: by district


Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause),





Hospital admissions for self-harm in children and young people aged 10-24 years: trend

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Hospital admissions for self-harm in young people aged 10-24 years: by deprivation

Age standardised rate per 100,000 children and young people aged 10-24 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - decreasing compared with a stable trend for England



Hospital admissions for respiratory tract infections in infants under 1: by district

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2014/15-2018/19



Hospital admissions for respiratory tract infections in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a slower pace of change than Kent



Hospital admissions for respiratory tract infections in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2010/11 - 2014/15 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a faster pace of change than England



Hospital admissions for gastroenteritis in infants under 1: by district

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20

Crude rate per 10,000 relevant resident population

Hospital admissions for gastroenteritis in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Decreasing compared with a stable trend for Kent



Hospital admissions for gastroenteritis in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis),


2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - stable compared with a decreasing trend for England

Emergency admissions of babies to hospital within 14 days of birth: by electoral ward






Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards with no data have been subject to supression rules



Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 live births, 2011/12-2018/19



Crude rate per 1,000 live births

Greater than 63.0 50.7 to 63.0 41.2 to 50.7 29.5 to 41.2


Less than 29.5






Emergency admissions of babies to hospital within 14 days of birth: by district

Crude rate per 1,000 relevant resident population, 2016/17-2018/19



Emergency admissions of babies to hospital within 14 days of birth: trend

Crude rate per 1,000 live births, 2011/12 - 2013/14 to 2016/17 - 2018/19



No significant change compared with an increasing trend for Kent

