

KENT PUBLIC HEALTH
OBSERVATORY

Starting Well:

Children in West Kent CCG

Contents

Overview

Demographics

Birth statistics

Wellbeing

Healthcare usage

User guide



Starting Well: Children in West Kent CCG

KENT PUBLIC HEALTH
OBSERVATORY

Heath and Social Care Maps

BIRTHS

5,511

births in 2018

Low birth weight



4.9%

Source: ONS, NHS Digital, 2012-2016

Infant mortality

2.2
per 1,000



Source: PCMD, ONS, NHS Digital, 2014-2016

Teenage conceptions

Kent



down
53%

16.1
per 1,000

2009

2017

Source: ONS

CHILDHOOD OBESITY



21%
of Year R pupils
overweight
or obese

29%

of Year 6 pupils
overweight
or obese



Source: NCMP, 2014/15-2018/19

Ward-level excess weight (Year 6)

Highest

41%

North Downs

33%

Kent

29%

West Kent CCG

15%

Sevenoaks Town
& St John's

Lowest

Source: NCMP, 2014/15-2018/19 combined


WELLBEING

90%

receive two doses of
the MMR vaccine by
age 5

Source: NHS England,
2014/15-2018/19

In 2018/19 amongst 0-24 year olds:



1,787

Hospital
admissions
for unintentional
injuries

A&E
attendances

56,456

Source: HES

Images from Noun Project

Demographics

Population numbers: Ages 0 to 4

Population projections: Ages 0 to 4

Population numbers: Ages 0 to 19

Population projections: Ages 0 to 19


Population Numbers: Summary table

Income Deprivation Affecting Children Index (IDACI)



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (LLY), Oct-19



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (MP), Oct-19



Children aged 0-4 years: population projections

Office for National Statistics 2016-based projections




Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: Office for National Statistics mid-year estimates, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: ONS, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: population projections

Office for National Statistics 2016-based projections

■ West Kent CCG ONS projection



Source: ONS, KCC, prepared by KPHO (RK), Nov-18




Ward Code 2011	Ward Name	0-4		0-19	
		Number	%	Number	%
E05004982	Allington	325	4.5%	1560	21.4%
E05005104	Aylesford	338	6.1%	1271	23.0%
E05004983	Barming	80	3.5%	409	18.1%
E05004984	Bearsted	402	4.8%	1942	23.3%
E05005130	Benenden and Cranbrook	329	4.2%	2365	29.8%
E05005105	Blue Bell Hill and Walderslade	179	4.4%	886	21.6%
E05005106	Borough Green and Long Mill	431	5.7%	1841	24.2%
E05004985	Boughton Monchelsea and Chart Sutton	113	4.1%	595	21.7%
E05004986	Boxley	466	5.5%	1975	23.4%
E05005009	Brasted, Chevening and Sundridge	399	5.9%	1759	26.2%
E05005131	Brenchley and Horsmonden	243	4.5%	1316	24.2%
E05004987	Bridge	427	6.4%	1366	20.6%
E05005132	Broadwater	306	6.4%	1174	24.4%
E05005107	Burham, Eccles and Wouldham	284	6.1%	1098	23.5%
E05005108	Cage Green	214	4.9%	1014	23.2%
E05005133	Capel	99	4.2%	575	24.1%
E05005109	Castle	260	4.7%	1589	28.5%
E05005010	Cowden and Hever	92	4.4%	451	21.4%
E05008553	Coxheath and Hunton	382	5.0%	1581	20.7%
E05005134	Culverden	440	5.0%	1751	19.8%
E05004989	Detling and Thurnham	145	4.6%	711	22.4%
E05008540	Ditton	451	7.5%	1537	25.4%
E05005111	Downs	199	4.9%	795	19.7%
E05004990	Downswood and Otham	224	7.4%	729	24.1%
E05005012	Dunton Green and Riverhead	462	7.8%	1657	27.8%
E05004991	East	563	6.3%	2091	23.2%
E05005112	East Malling	351	6.6%	1442	27.0%
E05005113	East Peckham and Golden Green	172	4.5%	834	21.8%
E05005013	Edenbridge North and East	307	6.1%	1165	23.0%
E05005014	Edenbridge South and West	300	6.5%	1145	24.7%
E05004992	Fant	781	7.3%	2584	24.1%
E05005135	Frittenden and Sissinghurst	85	3.9%	471	21.7%
E05005136	Goudhurst and Lamberhurst	213	4.2%	1285	25.6%
E05005114	Hadlow, Mereworth and West Peckham	185	4.1%	993	22.0%
E05005018	Halstead, Knockholt and Badgers Mount	167	4.9%	762	22.3%
E05004993	Harrietsham and Lenham	378	5.8%	1397	21.4%
E05005137	Hawkhurst and Sandhurst	304	4.8%	1468	23.3%
E05004994	Headcorn	315	5.4%	1254	21.6%
E05004995	Heath	451	6.5%	1946	27.9%
E05004996	High Street	874	7.6%	2941	25.5%
E05005115	Hingham	311	5.1%	1476	24.4%
E05005116	Hildenborough	306	5.9%	1368	26.4%
E05005117	Ightham	77	3.8%	513	25.0%
E05005118	Judd	329	6.6%	1301	26.1%

Ward Code 2011	Ward Name	0-4		0-19	
		Number	%	Number	%
E05005021	Kemsing	247	5.8%	1032	24.3%
E05005119	Kings Hill	654	6.8%	3247	34.0%
E05008541	Larkfield North	269	6.3%	1037	24.2%
E05005121	Larkfield South	202	5.0%	936	23.2%
E05004997	Leeds	135	5.6%	509	21.1%
E05005022	Leigh and Chiddingstone Causeway	154	6.7%	563	24.5%
E05008554	Loose	131	5.2%	559	22.2%
E05004999	Marden and Yalding	508	6.0%	2010	23.7%
E05005122	Medway	531	7.9%	1568	23.4%
E05005000	North	641	6.4%	2269	22.5%
E05005001	North Downs	85	3.4%	504	20.4%
E05005023	Otford and Shoreham	261	5.5%	1190	25.2%
E05005138	Paddock Wood East	193	4.8%	843	20.9%
E05005139	Paddock Wood West	206	5.1%	989	24.7%
E05005140	Pantiles and St Mark's	374	5.3%	1563	22.2%
E05005141	Park	403	5.1%	1822	23.1%
E05005002	Park Wood	985	11.1%	3120	35.3%
E05005142	Pembury	260	4.3%	1416	23.3%
E05005024	Penshurst, Fordcombe and Chiddingstone	109	4.3%	610	23.9%
E05005143	Rusthall	293	5.8%	1213	24.2%
E05005025	Seal and Weald	170	3.9%	1132	26.2%
E05005026	Sevenoaks Eastern	314	7.3%	1202	28.1%
E05005027	Sevenoaks Kippington	266	5.1%	1462	28.2%
E05005028	Sevenoaks Northern	331	7.1%	1292	27.7%
E05005029	Sevenoaks Town and St John's	451	6.2%	2060	28.3%
E05005003	Shepway North	585	6.3%	2540	27.4%
E05005004	Shepway South	448	7.3%	1538	25.1%
E05005146	Sherwood	609	7.8%	2204	28.2%
E05005123	Snodland East	330	7.0%	1273	27.2%
E05005124	Snodland West	491	7.0%	1592	22.6%
E05008555	South	771	7.6%	2564	25.3%
E05005147	Southborough and High Brooms	523	6.5%	2158	26.7%
E05005148	Southborough North	169	4.0%	1002	23.6%
E05005149	Speldhurst and Bidborough	285	4.5%	1581	25.2%
E05005144	St James'	568	8.0%	1777	25.1%
E05005145	St John's	469	6.2%	2157	28.3%
E05005006	Staplehurst	342	5.5%	1520	24.5%
E05005007	Sutton Valence and Langley	150	4.6%	713	21.8%
E05005125	Trench	262	6.1%	1204	28.2%
E05005126	Vauxhall	313	5.9%	1369	25.8%
E05005127	Wateringbury	84	3.9%	510	24.0%
E05005128	West Malling and Leybourne	445	6.7%	1537	23.2%
E05005033	Westerham and Crockham Hill	205	4.6%	1086	24.3%
E05005129	Wrotham	131	6.5%	547	27.3%
West Kent CCG Total		29112	5.9%	121403	24.8%



Income deprivation affecting children (IDACI): by electoral ward

The percentage of children aged 0-15 years living in income deprived households, 2019



The percentage of children aged 0-15 years living in income deprived households

Source: DCLG, prepared by KPHO (LLY), Jan-20



Birth statistics

General fertility rate

Low birth weight

Infant mortality


Teenage conceptions



General fertility rate: by electoral ward

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018

Ward West Kent CCG Kent




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General fertility rate: by electoral ward

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-18




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General fertility rate: by CCG

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018



Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General Fertility Rate: trend

The crude rate of total live births per 1,000 women aged 15-44 years, 2010/11 to 2018/19




No significant change compared with a stable trend for Kent

Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General Fertility Rate: by deprivation

The crude rate of total live births per 1,000 women aged 15 - 44 years, 2010-2012 to 2016-2018



Least deprived trend - decreasing with a similar pace of change to Kent


Most deprived trend - decreasing with a similar pace of change to Kent

Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17

Wards with no data have been subject to suppression rules



Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Low birth weight: by CCG

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Low birth weight: trend

The percentage of live births with low birth weight, 2500 grams or less, 2006 to 2015




No significant change compared with a decreasing trend for Kent

Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Low birth weight: by deprivation

The percentage of live births with low birth weight, 2500 grams or less, 2006 - 2008 to 2013 - 2015




Least deprived trend - stable
Most deprived trend - decreasing

Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: trend

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2008 to 2014 - 2016




No significant change compared with a decreasing trend for Kent

Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: by CCG

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2012-2016




Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: by deprivation

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2010 to 2012 - 2016




Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Under 18 teenage conceptions: trend

Conception rate per 1,000 15-17 year olds, residence based, 2001 to 2017




Decreasing with a similar pace of change to England

Source: ONS, prepared by KPHO (ZC), Feb-20



Under 18 teenage conceptions: by district

Conception rate per 1,000 15-17 year olds, residence based, 2017



Source: ONS, prepared by KPHO (LLY), Feb-20



Wellbeing

Life expectancy at birth

Smoking at time of delivery

Breastfeeding: New born visit

Breastfeeding: 6-8 weeks

Immunisations: Dtap /IPV / Hib (1 year)

Immunisations: MMR for two doses (5 years)

Obesity & excess weight: Year R

Obesity & excess weight: Year 6

Good level of development


Tooth decay: Age 5



Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

Ward West Kent CCG Kent




Source: PCMD, ONS, PHE, prepared by KPPO (ZC), Nov-18



Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

Wards in grey have total person years below 5,000



Life expectancy at birth, male: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - increasing compared with stable trend for Kent

Most deprived trend - no significant change compared with decreasing trend for Kent


Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

Ward West Kent CCG Kent




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

Wards in grey did not meet 5,000 total person years



Life expectancy at birth, female: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - no significant change compared with stable trend for Kent


Most deprived trend - no significant change compared with stable trend for Kent

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Smoking status at time of delivery: by district

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2017/18




Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



Smoking status at time of delivery: trend

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2010/11 to 2017/18




Stable compared with a decreasing trend for England

Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



New born visit breastfeeding: by CCG

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



Breastfeeding at 6-8 weeks: by electoral ward

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



Breastfeeding at 6-8 weeks: by electoral ward

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



Breastfeeding at 6-8 weeks: by CCG

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20



Population vaccination coverage - Dtap/IPV/Hib (1 year old): by electoral ward

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - Dtap/IPV/Hib (1 year old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19




Increasing compared with a decreasing trend for England

Source: NHS England, prepared by KPHO (ZC), Dec-19



Population vaccination coverage - Dtap/IPV/Hib (1 year old): by CCG

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - MMR for two doses (5 years old): by electoral ward

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - MMR for two doses (5 years old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19




Increasing compared with a decreasing trend for England

Source: NHS England, prepared by KPHO (MP), Dec-19



Population vaccination coverage - MMR for two doses (5 years old): by CCG

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19



Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

Ward West Kent CCG Kent




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

Wards with no data have been subject to suppression rules



Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

Wards in grey are subject to suppression rules



Obesity in reception year children aged 4-5 years: by CCG

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Obesity in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Obesity in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with increasing trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: by CCG

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



Least deprived trend - no significant change compared with stable trend for Kent
Most deprived trend - no significant change compared with increasing trend for Kent


Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

Ward West Kent CCG Kent




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

Wards with no data have been subject to suppression rules



Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: by CCG

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: trend

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with increasing trend for Kent


Source: NCMP, NHS Digital, prepared by KPHO (SR), Feb-20



Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19

Ward West Kent CCG Kent




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: by CCG

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: trend

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Decreasing compared with a stable trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with increasing trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019



Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by CCG

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: trend

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2013 to 2019




No significant change compared with an increasing trend for Kent

Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Tooth decay in children aged five: by CCG

The percentage of children at age 5 years, within the survey sample, who experienced decayed, missing or extracted teeth, 2017




Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (TG), May-18



Tooth decay in children aged five: trend

The percentage of children at age 5 years (within the survey sample) who experienced decayed, missing or extracted teeth, 2015 to 2017



Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (RK), Jun-18



Healthcare usage

A&E attendances


Elective hospital admissions

Emergency hospital admissions



Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children aged 0-4 years: by CCG

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - increasing with a similar pace of change to Kent


Most deprived trend - increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan -20



Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



Accident & Emergency attendances in children & young people aged 0-19 years: by CCG

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



Accident & Emergency attendances in children & young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13-2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



Accident & Emergency attendances in children & young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13 - 2014/5 to 2016/17 - 2018/19



Least deprived trend - increasing with a similar pace of change to Kent

Most deprived trend - increasing with a similar pace of change to Kent


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan -20



Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19

Ward West Kent CCG Kent




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children aged 0-4 years: by CCG

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12-2015/16 to 2014/15-2018/19



Least deprived trend - no significant change with a similar pace of change to Kent


Most deprived trend - increasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Elective hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children and young people aged 0-19 years: by CCG

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Elective hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to Kent


Most deprived trend - increasing with a similar pace of change to Kent

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19




Emergency hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



Crude rate per 1,000 children aged 0-4 years




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children aged 0-4 years: by CCG

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a faster pace of change than Kent
Most deprived trend - no significant change compared with a increasing trend for Kent

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20




Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19



Crude rate per 1,000 children and young people aged 0-19 years




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency hospital admissions in children and young people aged 0-19 years: by CCG

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing with a faster pace of change than Kent
Most deprived trend - no significant change compared with a increasing trend for Kent

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by CCG

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions for asthma in children and young people aged 0-19 years: trend

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by deprivation

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable with a similar pace of change to England


Most deprived trend - stable with a similar pace of change to England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by CCG

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: trend

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Decreasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by deprivation

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing compared with a decreasing trend for Kent


Most deprived trend - decreasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by CCG

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: trend

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Decreasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by deprivation

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing with a similar pace of change to Kent
Most deprived trend - decreasing with a similar pace of change to Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by CCG

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: trend

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




No significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by deprivation

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



Hospital admissions for self-harm in children and young people aged 10-24 years: by CCG

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause),
2013/14 to 2018/19




Source: Hospital Episode Statistics, NHS Digital, ONS, prepared by KPHO (LLY), Jan -20



Hospital admissions for self-harm in children and young people aged 10-24 years: trend

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2011/12 to 2018/19




Increasing compared with a stable trend for Kent

Source: Hospital Episode Statistics, NHS Digital, ONS, prepared by KPHO (LLY), Jan-20



Hospital admissions for self-harm in young people aged 10-24 years: by deprivation

Age standardised rate per 100,000 children and young people aged 10-24 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent
Most deprived trend - no significant change compared with a decreasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (LLY), Jan-20



Hospital admissions for respiratory tract infections in infants under 1: by CCG

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Hospital admissions for respiratory tract infections in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with an increasing trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Hospital admissions for respiratory tract infections in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2010/11 - 2014/15 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England
Most deprived trend - increasing with a faster pace of change than England

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Hospital admissions for gastroenteritis in infants under 1: by CCG

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Hospital admissions for gastroenteritis in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Decreasing compared with a stable trend for Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Hospital admissions for gastroenteritis in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing with a similar pace of change to England


Most deprived trend - stable compared with a decreasing trend for England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 relevant resident population, 2011/12 - 2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards with no data have been subject to suppression rules




Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 live births, 2011/12 - 2018/19



Crude rate per 1,000 live births




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards in grey are subject to suppression rules



Emergency admissions of babies to hospital within 14 days of birth: by CCG

Crude rate per 1,000 relevant resident population, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



Emergency admissions of babies to hospital within 14 days of birth: trend

Crude rate per 1,000 live births, 2011/12 - 2013/14 to 2016/17 - 2018/19



Increasing with a slower pace of change than Kent

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

