

Contents

Overview

Demographics

Birth statistics


Wellbeing


Healthcare usage



Starting Well: Children in Kent

Heath and Social Care Maps






Kent


Kent

Highest

Lowest

Ward-level excess weight (Year 6) **Northfleet North** Sevenoaks Town & St John's Source: NCMP, 2014/15-2018/19 combined





Demographics


Population projections: Ages 0 to 4

Population projections: Ages 0 to 19



Children aged 0-4 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)




Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Children & young people aged 0-19 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (October 2018)



Source: ONS, KCC, prepared by KPHO (RK), Nov-18



Birth statistics

General fertility rate

Low birth weight


Infant mortality

Teenage conceptions



General fertility rate: by district

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General Fertility Rate: trend

The crude rate of total live births per 1,000 women aged 15-44 years, 2010/11 to 2018/19




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



General Fertility Rate: by deprivation

The crude rate of total live births per 1,000 women aged 15 - 44 years, 2010-2012 to 2016-2018




Least deprived trend - decreasing Most deprived trend - decreasing

Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



Low birth weight: by district

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Low birth weight: trend

The percentage of live births with low birth weight, 2500 grams or less, 2006 to 2015






Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Low birth weight: by deprivation

The percentage of live births with low birth weight, 2500 grams or less, 2006 - 2008 to 2013 - 2015



Least deprived trend - stable Most deprived trend - decreasing


Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: trend

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2008 to 2014 - 2016






Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: by district

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2012-2016




Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Infant mortality rate: by deprivation

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2010 to 2012 - 2016




Least deprived trend - stable Most deprived trend - decreasing

Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



Under 18 teenage conceptions: trend

Conception rate per 1,000 15-17 year olds, residence based, 2001 to 2017



Decreasing with a similar pace of change to England


Source: ONS, prepared by KPHO (ZC), Feb-20




Under 18 teenage conceptions: by district

Conception rate per 1,000 15-17 year olds, residence based, 2017







Source: ONS, prepared by KPHO (LLY), Feb-20



Wellbeing

Life expectancy at birth

Smoking at time of delivery

Breastfeeding: New born visit

Breastfeeding: 6-8 weeks

Immunisations: Dtap /IPV / Hib (1 year)

Immunisations: MMR for two doses (5 years)

Obesity & excess weight: Year R

Obesity & excess weight: Year 6

Good level of development

Tooth decay: Age 5




Life expectancy at birth, male: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

District — Kent








Life expectancy at birth, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017








Life expectancy at birth, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - stable Most deprived trend - decreasing




Life expectancy at birth, female: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

District — Kent








Life expectancy at birth, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017








Life expectancy at birth, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - stable Most deprived trend - stable




New born visit breastfeeding: by district

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019







Source: KCHFT, prepared by KPHO (LLY), Jan-20




Smoking status at time of delivery: by district

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2017/18



Percentage



Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19




Breastfeeding at 6-8 weeks: by district

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019








Source: KCHFT, prepared by KPHO (LLY), Jan-20




Population vaccination coverage - Dtap/IPV/Hib (1 year old): by CCG

Percentage of eligible children having immunisation, 2018/19







Source: NHS England, prepared by KPHO (MP), Dec-19




Population vaccination coverage - MMR for two doses (5 years old): by CCG

Percentage of eligible children having immunisation, 2018/19







Source: NHS England, prepared by KPHO (MP), Dec-19




Obesity in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

District — Kent






Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Obesity in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Obesity in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



Least deprived trend - stable Most deprived trend - increasing

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20




Excess weight in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

District — Kent






Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Excess weight in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



Least deprived trend - stable Most deprived trend - increasing

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20




Obesity in year six children aged 10-11 years: by district

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

District — Kent






Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: trend

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



Obesity in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - stable

Most deprived trend - increasing

Source: NCMP, NHS Digital, prepared by KPHO (SR), Feb-20




Excess weight in year six children aged 10-11 years: by district

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19

District — Kent






Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Excess weight in year six children aged 10-11 years: trend

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19

← Kent ← England




 $Source: NCMP, NHS\ Digital,\ prepare\ d\ b\ y\ KPHO\ (LLY),\ Ja\ n-20$



Excess weight in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Least deprived trend - stable Most deprived trend - increasing

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Children achieving a good level of development at the end of reception year: by district

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Percentage

Children achieving a good level of development at the end of reception year: trend

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2013 to 2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Tooth decay in children aged five: by district

The percentage of children at age 5 years, within the survey sample, who experienced decayed, missing or extracted teeth, 2017




Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (TG), May-18



Tooth decay in children aged five: trend

The percentage of children at age 5 years (within the survey sample) who experienced decayed, missing or extracted teeth, 2015 to 2017



 $Source: Dental Public Health \ Epidemiology \ Programme \ for England: Or a lihealth \ survey of five-year-old \ children, \ prepared \ by \ KPHO \ (RK), \ Jun-18$



Healthcare usage

A&E attendances

Elective hospital admissions

Emergency hospital admissions

Hospital admissions for asthma

Hospital admissions for unintentional or deliberate injury

Hospital admissions for self harm

Hospital admissions for respiratory tract infections


Hospital admissions for gastroenteritis

Hospital admissions of babies under 14 days



Accident & Emergency attendances in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



Maidstone

Sevenoaks Folkestone &

Hythe

Swale

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19

Canterbury

Dartford

Dover

Gravesham

Ashford



Tonbridge &

Malling


Thanet

Tunbridge

Wells

Accident & Emergency attendances in children aged 0-4 years: trend


Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19





Accident & Emergency attendances in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - increasing with a faster pace of change than England Most deprived trend - increasing with a similar pace of change to England



Accident & Emergency attendances in children & young people aged 0-19 years: by district


Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19





Accident & Emergency attendances in children & young people aged 0-19 years: trend


Crude rate per 1,000 children and young people aged 0-19 years, 2012/13-2018/19





Accident & Emergency attendances in children & young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13 -2014/5 to 2016/17 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England



Elective hospital admissions in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19






 $Source: Hospital\,Episode\,Statistics\,(HES),\,NHS\,Digital,\,ONS,\,prepare\,d\,by\,KPHO\,(MP),\,Ja\,n\,-20$



Elective hospital admissions in children aged 0-4 years: trend


Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19





Elective hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12-2015/16 to 2014/15-2018/19




Least deprived trend - stable with a similar pace of change to England Most deprived trend - increasing compared with a decreasing trend for England



Elective hospital admissions in children and young people aged 0-19 years: by district

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19








Elective hospital admissions in children and young people aged 0-19 years: trend


Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19





Elective hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - increasing compared with a stable trend for England Most deprived trend - increasing compared with a stable trend for England



Emergency hospital admissions in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



Maidstone

Sevenoaks Folkestone &

Hythe

Thanet

Swale

Tonbridge &

Malling

Tunbridge

Wells

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19

Canterbury

Dartford

Dover

Gravesham




0

Ashford

Emergency hospital admissions in children aged 0-4 years: trend


Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19





Emergency hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2015/16 to 2014/15 - 2018/19





Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing compared with a stable trend for England



Emergency hospital admissions in children and young people aged 0-19 years: by district

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19








Emergency hospital admissions in children and young people aged 0-19 years: trend


Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19





Emergency hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - increasing compared with a stable trend for England



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by district


Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2014/15-2018/19





Emergency hospital admissions for asthma in children and young people aged 0-19 years: trend


Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19





Emergency hospital admissions for asthma in children and young people aged 0-19 years: by deprivation

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable with a similar pace of change to England Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by district

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: trend


Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by deprivation

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - decreasing with a similar pace of change to England



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by district

District

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Kent

Sevenoaks Folkestone &

Hythe

Thanet


Swale

Tonbridge &

Malling

Tunbridge

Wells





Canterbury

Dartford

Dover

Gravesham

Maidstone



150

100


50

0

Ashford

Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: trend

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (MP), \, Jan-20$



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by deprivation

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - decreasing with a similar pace of change to England



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by district


Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: trend


Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by deprivation

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable with a similar pace of change to England Most deprived trend - decreasing compared with a stable trend for England



Hospital admissions for self-harm in children and young people aged 10-24 years: by district

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2013/14 to 2018/19








Hospital admissions for self-harm in children and young people aged 10-24 years: trend


Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2011/12 to 2018/19





Hospital admissions for self-harm in young people aged 10-24 years: by deprivation

Age standardised rate per 100,000 children and young people aged 10-24 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - decreasing compared with a stable trend for England



Hospital admissions for respiratory tract infections in infants under 1: by district


Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2014/15-2018/19





Hospital admissions for respiratory tract infections in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19





Hospital admissions for respiratory tract infections in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2010/11 - 2014/15 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a faster pace of change than England



Hospital admissions for gastroenteritis in infants under 1: by district

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2014/15-2018/19

District — Kent




 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepare \, d \, by \, KPHO \, (ZC), \, Feb-20 \, Appendix \, A$



Hospital admissions for gastroenteritis in infants under 1: trend


Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19





Hospital admissions for gastroenteritis in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - stable compared with a decreasing trend for England



Emergency admissions of babies to hospital within 14 days of birth: by district

Crude rate per 1,000 relevant resident population, 2016/17-2018/19







Emergency admissions of babies to hospital within 14 days of birth: trend

Crude rate per 1,000 live births, 2011/12 - 2013/14 to 2016/17 - 2018/19

