
©BSERVATORY

**Starting Well:** Children in Tunbridge Wells


# Contents





# **Starting Well:** Children in Tunbridge Wells

Heath and Social Care Maps



# Demographics

Population numbers: Ages 0 to 4

Population projections: Ages 0 to 4

Population numbers: Ages 0 to 19

Population projections: Ages 0 to 19


Population Numbers: Summary table

Income Deprivation Affecting Children Index (IDACI)



#### Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (LLY), Oct-19



# Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018






Source: ONS, prepared by KPHO (MP), Oct-19



#### Children aged 0-4 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)




Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



#### Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source : Office for National Statistics mid-year estimates, prepared by KPHO (MP), Nov-19



# Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: ONS, prepared by KPHO (MP), Nov-19



#### Children & young people aged 0-19 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (October 2018)



Source: ONS, KCC, prepared by KPHO (RK), Nov-18


Mid 2018 Population Estimates for Children and Young People by Electoral Ward Source: ONS

Ward Code 2011	Ward Name	0-	0-4		0-19	
		Number	%	Number	%	
E05005130	Benenden and Cranbrook	329	4.2%	2365	29.8%	
E05005131	Brenchley and Horsmonden	243	4.5%	1316	24.2%	
E05005132	Broadwater	306	6.4%	1174	24.4%	
E05005133	Capel	99	4.2%	575	24.1%	
E05005134	Culverden	440	5.0%	1751	19.8%	
E05005135	Frittenden and Sissinghurst	85	3.9%	471	21.7%	
E05005136	Goudhurst and Lamberhurst	213	4.2%	1285	25.6%	
E05005137	Hawkhurst and Sandhurst	304	4.8%	1468	23.3%	
E05005138	Paddock Wood East	193	4.8%	843	20.9%	
E05005139	Paddock Wood West	206	5.1%	989	24.7%	
E05005140	Pantiles and St Mark's	374	5.3%	1563	22.2%	
E05005141	Park	403	5.1%	1822	23.1%	
E05005142	Pembury	260	4.3%	1416	23.3%	
E05005143	Rusthall	293	5.8%	1213	24.2%	
E05005146	Sherwood	609	7.8%	2204	28.2%	
E05005147	Southborough and High Brooms	523	6.5%	2158	26.7%	
E05005148	Southborough North	169	4.0%	1002	23.6%	
E05005149	Speldhurst and Bidborough	285	4.5%	1581	25.2%	
E05005144	St James'	568	8.0%	1777	25.1%	
E05005145	St John's	469	6.2%	2157	28.3%	
Tunbridge Wells Total		6371	5.4%	29130	24.7%	



#### Income deprivation affecting children (IDACI): by electoral ward

The percentage of children aged 0-15 years living in income deprived households, 2019



#### 0-15 years living in income deprived households



Greater than 21.5% 15.1% to 21.5% 11.7% to 15.1% 8.0% to 11.7% Less than 8.0%

Source: DCLG, prepared by KPHO (LLY), Jan-20

# Birth statistics


General fertility rate

Low birth weight

Infant mortality

**Teenage conceptions** 






Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20

Crude rate per 1,000 relevant resident population

## General fertility rate: by electoral ward

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-18






Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



## General fertility rate: by district

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



## **General Fertility Rate: trend**

The crude rate of total live births per 1,000 women aged 15-44 years, 2010/11 to 2018/19




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20

No significant change compared with a stable trend for Kent

## **General Fertility Rate: by deprivation**

The crude rate of total live births per 1,000 women aged 15 - 44 years, 2010-2012 to 2016-2018




Source: ONS, NHS Digital, NOMIS, prepared by KPHO (LLY), Jan-20



#### Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



## Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Less than 3.8

Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



# Low birth weight: by district

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17



## Low birth weight: trend

The percentage of live births with low birth weight, 2500 grams or less, 2006 to 2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17

No significant change compared with a decreasing trend for Kent

## Low birth weight: by deprivation

The percentage of live births with low birth weight, 2500 grams or less, 2006 - 2008 to 2013 - 2015



Least deprived trend - stable


Most deprived trend - decreasing

Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17

Starting Well: Children in Tunbridge Wells

#### Infant mortality rate: trend

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2008 to 2014 - 2016




Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17

No significant change compared with a decreasing trend for Kent



## Infant mortality rate: by district

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2012-2016




Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



# Infant mortality rate: by deprivation

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2010 to 2012 - 2016




Least deprived trend - stable Most deprived trend - decreasing

Source: PCMD, ONS, NHS Digital, prepared by KPHO (RK), Nov-17



#### Under 18 teenage conceptions: trend

Conception rate per 1,000 15-17 year olds, residence based, 2001 to 2017




Source: ONS, prepared by KPHO (ZC), Feb-20



## Under 18 teenage conceptions: by district

Conception rate per 1,000 15-17 year olds, residence based, 2017



Crude rate per 1,000 relevant resident population

Source: ONS, prepared by KPHO (LLY), Feb-20



# Wellbeing

Life expectancy at birth

Smoking at time of delivery

Breastfeeding: New born visit

Breastfeeding: 6-8 weeks

Immunisations: Dtap /IPV / Hib (1 year)

Immunisations: MMR for two doses (5 years)


Obesity & excess weight: Year R

Obesity & excess weight: Year 6

Good level of development

Tooth decay: Age 5






Life expectancy at birth, male: by electoral ward

#### Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

## Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Less than 77.6 77.6 to 79.6 79.6 to 81.2 81.2 to 82.4 Greater than 82.4

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

## Life expectancy at birth, male: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source : PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



#### Life expectancy at birth, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

No significant change compared with a stable trend for Kent




#### Life expectancy at birth, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18






Life expectancy at birth, female: by electoral ward

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

## Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017






Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

Starting Well: Children in Tunbridge Wells

## Life expectancy at birth, female: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source : PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



## Life expectancy at birth, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

No significant change compared with a stable trend for Kent

#### Life expectancy at birth, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017




Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



## Smoking status at time of delivery: by district

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2017/18



Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



## Smoking status at time of delivery: trend

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2010/11 to 2017/18



Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19


Decreasing compared with a stable trend for Kent



Starting Well: Children in Tunbridge Wells

#### New born visit breastfeeding: by electoral ward

#### Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20

Percentage

# New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




#### Percentage



Greater than 55.6% 61.9% to 55.6% 69.0% to 61.9% 100.0% to 69.0% Less than 100.0%

## New born visit breastfeeding: by district

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019




Percentage



#### Breastfeeding at 6-8 weeks: by electoral ward


Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019





#### Breastfeeding at 6-8 weeks: by electoral ward


Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019





## Breastfeeding at 6-8 weeks: by district

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019




Source: KCHFT, prepared by KPHO (LLY), Jan-20

Starting Well: Children in Tunbridge Wells

#### Population vaccination coverage - Dtap/IPV/Hib (1 year old): by electoral ward

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19

Percentage

## Population vaccination coverage - Dtap/IPV/Hib (1 year old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19




#### Increasing compared with a decreasing trend for England

Source: NHS England, prepared by KPHO (ZC), Dec-19



## Population vaccination coverage - Dtap/IPV/Hib (1 year old): by CCG

Percentage of eligible children having immunisation, 2018/19




Percentage

Source: NHS England, prepared by KPHO (MP), Dec-19



#### Population vaccination coverage - MMR for two doses (5 years old): by electoral ward

Percentage of eligible children having immunisation, 2018/19




Source: NHS England, prepared by KPHO (MP), Dec-19

Percentage

## Population vaccination coverage - MMR for two doses (5 years old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19




Increasing compared with a decreasing trend for England

Source: NHS England, prepared by KPHO (MP), Dec-19



## Population vaccination coverage - MMR for two doses (5 years old): by CCG

Percentage of eligible children having immunisation, 2018/19




Percentage

Source: NHS England, prepared by KPHO (MP), Dec-19

#### Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Wards with no data have been subject to supression rules



Percentage

#### Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19



Percentage of reception year pupils measured as obese



Greater than 11.3% 9.7% to 11.3% 8.3% to 9.7% 6.7% to 8.3% Less than 6.7%


Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

Wards in grey are subject to supression rules



## Obesity in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19



Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



# Obesity in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

No significant change compared with a stable trend for Kent



#### Obesity in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



Least deprived trend - stable


Most deprived trend - increasing

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



# Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

Percentage

#### Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

Less than 19.1%



## Excess weight in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



## Excess weight in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

No significant change compared with a stable trend for Kent



#### Excess weight in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



Least deprived trend - stable


Most deprived trend - increasing

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



#### Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19



Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20


Wards with no data have been subject to supression rules



Percentage

#### Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19



Percentage of year six pupils measured as obese




Greater than 21.8% 19.1% to 21.8% 16.9% to 19.1% 13.6% to 16.9% Less than 13.6%

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

## Obesity in year six children aged 10-11 years: by district

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19




Percentage

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20



## Obesity in year six children aged 10-11 years: trend

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

No significant change compared with a stable trend for Kent



#### Obesity in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - stable


Most deprived trend - increasing

Source: NCMP, NHS Digital, prepared by KPHO (SR), Feb-20



#### Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

Percentage

## Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19




Greater than 37.0% 33.9% to 37.0% 31.3% to 33.9% 26.5% to 31.3% Less than 26.5%

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

Starting Well: Children in Tunbridge Wells

## Excess weight in year six children aged 10-11 years: by district

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19



Percentage

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



#### Excess weight in year six children aged 10-11 years: trend

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

No significant change compared with a stable trend for Kent



#### Excess weight in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



#### Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Percentage

#### Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019



#### Percentage


Less than 74.7% 77.7% to 74.7% 81.2% to 77.7% 90.6% to 81.2% Greater than 90.6%

Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



# Children achieving a good level of development at the end of reception year: by district

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Percentage

Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



#### Children achieving a good level of development at the end of reception year: trend

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2013 to 2019



Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20


No significant change compared with an increasing trend for Kent

Starting Well: Children in Tunbridge Wells

# Tooth decay in children aged five: by district

The percentage of children at age 5 years, within the survey sample, who experienced decayed, missing or extracted teeth,


2017



Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (TG), May-18

#### Tooth decay in children aged five: trend

The percentage of children at age 5 years (within the survey sample) who experienced decayed, missing or extracted teeth, 2009 to 2017



#### No significant change compared with a stable trend for Kent

Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (RK), Jun-18

# Healthcare usage


A&E attendances

Elective hospital admissions

**Emergency hospital admissions** 



#### Accident & Emergency attendances in children aged 0-4 years: by electoral ward




Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19

#### Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



# Crude rate per 1,000 children aged 0-4 years




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



# Accident & Emergency attendances in children aged 0-4 years: by district


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19

#### Accident & Emergency attendances in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19

Increasing with a similar pace of change to Kent



# Accident & Emergency attendances in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - increasing with a faster pace of change than England Most deprived trend - increasing with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



#### Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



#### Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Crude rate per 1,000 children and young people aged 0-19 years



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



#### Accident & Emergency attendances in children & young people aged 0-19 years: by district




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan -20

Starting Well: Children in Tunbridge Wells

#### Accident & Emergency attendances in children & young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan -20

Increasing with a similar pace of change to Kent



#### Accident & Emergency attendances in children & young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13 -2014/5 to 2016/17 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan -20



#### Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19

- Tunbridge Wells Ward Kent 300 A1.9 A1.A 40.3 39.3 35.8 44.5 A0.1 250 200 150 100 50 0 Southborough and High Brooms Benenden and Calibrook Fritenden and Sisting furst Speldturst and Botton outer Breachey and Hosmonden Hankfurst and sandhurst Goudhurst and Lamperturst Southborough North Pattoriu vood west Pathork Wood East Pantiles and St. Mark's Rusthall Broadwater stJohnis Sherwood


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



Crude rate per 1,000 relevant resident population

#### Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



# Elective hospital admissions in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20

# Elective hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20

No significant change compared with an increasing trend for Kent



#### Elective hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12-2015/16 to 2014/15-2018/19




Least deprived trend - stable with a similar pace of change to England

Most deprived trend - increasing compared with a decreasing trend for England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20



# Elective hospital admissions in children and young people aged 0-19 years: by electoral ward




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20

# Elective hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Crude rate per 1,000



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20



# Elective hospital admissions in children and young people aged 0-19 years: by district




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20

Starting Well: Children in Tunbridge Wells

#### Elective hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20

No significant change compared with an increasing trend for Kent

#### Elective hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing compared with a stable trend for England Most deprived trend - increasing compared with a stable trend for England


Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20  $\,$ 



#### Emergency hospital admissions in children aged 0-4 years: by electoral ward


**Tunbridge Wells** Ward Kent 400 350 300 250 200 150 100 50 0 Southborough and High Brooms Breechey and Hosmonden Howhing's and Sandhurst Benenden and California Goudhurst and Lamberhurst Speltfurst and Bottoriough Frittenden and Sistinghurt Pathokwoodwest PaddockWoodEast Southborough North Pantile and St Wark's st lames Penbun

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



#### Emergency hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



#### Crude rate per 1,000 children aged 0-4 years




Greater than 204.8 173.4 to 204.8 147.4 to 173.4 84.3 to 147.4 Less than 84.3

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



# Emergency hospital admissions in children aged 0-4 years: by district


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19

#### Emergency hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19


No significant change compared with an increasing trend for Kent



Starting Well: Children in Tunbridge Wells

#### Emergency hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing compared with a stable trend for England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



#### Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward




Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Crude rate per 1,000 relevant resident population

# Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Crude rate per 1,000 children and young people aged 0-19 years

Greater than 85.6
73.6 to 85.6
62.0 to 73.6
49.2 to 62.0
Less than 49.2

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



#### Emergency hospital admissions in children and young people aged 0-19 years: by district



Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

## Emergency hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

No significant change compared with an increasing trend for Kent

Starting Well: Children in Tunbridge Wells

### Emergency hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - increasing compared with a stable trend for England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20



### Emergency hospital admissions for asthma in children and young people aged 0-19 years: by district




Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2014/15-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



### Emergency hospital admissions for asthma in children and young people aged 0-19 years: trend

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20

No significant change compared with a stable trend for Kent

### Emergency hospital admissions for asthma in children and young people aged 0-19 years: by deprivation


Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable with a similar pace of change to England Most deprived trend - stable with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20

#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by district




Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20



#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: trend

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20

Decreasing with a similar pace of change to Kent



#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by deprivation


Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - decreasing with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20

#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward




Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20

Crude rate per 10,000 relevant resident population


#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20

#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by district




Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20



#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: trend

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20

Decreasing with a similar pace of change to Kent



#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by deprivation

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - decreasing with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20  $\,$ 



#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward




Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19

Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward


Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19



Less than 99.2

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19






Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19

#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: trend

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19

No significant change compared with a decreasing trend for Kent



#### Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by deprivation

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable with a similar pace of change to England Most deprived trend - decreasing compared with a stable trend for England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Dec-19



## Hospital admissions for self-harm in children and young people aged 10-24 years: by district

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause),




Source: Hospital Episode Statistics, NHS Digital, ONS, prepared by KPHO (LLY), Jan -20



# Hospital admissions for self-harm in children and young people aged 10-24 years: trend

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2011/12 to 2018/19




Source : Hospital Episode Statistics, NHS Digital, ONS, prepared by KPHO (LLY), Jan-20

No significant change compared with a stable trend for Kent



### Hospital admissions for self-harm in young people aged 10-24 years: by deprivation

Age standardised rate per 100,000 children and young people aged 10-24 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - decreasing compared with a stable trend for England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (LLY), Jan -20



# Hospital admissions for respiratory tract infections in infants under 1: by district


Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2014/15-2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

## Hospital admissions for respiratory tract infections in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

No significant change compared with an increasing trend for Kent

## Hospital admissions for respiratory tract infections in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2010/11 - 2014/15 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a faster pace of change than England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20  $\,$ 



# Hospital admissions for gastroenteritis in infants under 1: by district

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20

Crude rate per 10,000 relevant resident population

## Hospital admissions for gastroenteritis in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

Decreasing compared with a stable trend for Kent

### Hospital admissions for gastroenteritis in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis),


2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - stable compared with a decreasing trend for England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

## Emergency admissions of babies to hospital within 14 days of birth: by electoral ward



Crude rate per 1,000 relevant resident population, 2011/12 - 2018/19


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards with no data have been subject to supression rules

Crude rate per 1,000 relevant resident population

# Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 live births, 2011/12-2018/19



Crude rate per 1,000 live births

Greater than 63.0
50.7 to 63.0
41.2 to 50.7
29.5 to 41.2
Less than 29.5


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards in grey are subject to supression rules



# Emergency admissions of babies to hospital within 14 days of birth: by district


Crude rate per 1,000 relevant resident population, 2016/17-2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

## Emergency admissions of babies to hospital within 14 days of birth: trend

Crude rate per 1,000 live births, 2011/12 - 2013/14 to 2016/17 - 2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan -20

Increasing with a similar pace of change to Kent

