

Contents

Overview

Demographics

Birth statistics


Wellbeing

Healthcare usage



Starting Well: Children in Canterbury

Heath and Social Care Maps



19% of Year R pupils overweight or obese 31% of Year 6 pupils overweight or obese Source: NCMP, 2014/15-2018/19

Ward-level excess weight (Year 6)

33%

Highest

Lowest

Marshside


Canterbury


Blean Forest

Source: NCMP, 2014/15-2018/19 combined

Kent

CHILDHOOD OBESITY





Demographics

Population numbers: Ages 0 to 4

Population projections: Ages 0 to 4

Population numbers: Ages 0 to 19

Population projections: Ages 0 to 19


Population Numbers: Summary table

Income Deprivation Affecting Children Index (IDACI)



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (LLY), Oct-19



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (MP), Oct-19



Children aged 0-4 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)






Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: Office for National Statistics mid-year estimates, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: ONS, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (October 2018)



Source: ONS, KCC, prepared by KPHO (RK), Nov-18




Mid 2018 Population Estimates for Children and Young People by Electoral Ward Source: ONS

Ward Code 2011	Ward Name	0-4		0-19	
		Number	%	Number	%
E05004902	Barham Downs	99	3.5%	522	18.6%
E05004903	Barton	591	4.9%	3143	26.2%
E05004904	Blean Forest	93	1.3%	2806	38.7%
E05004905	Chartham and Stone Street	406	6.3%	1692	26.2%
E05004906	Chestfield and Swalecliffe	268	3.2%	1444	17.0%
E05004907	Gorrell	374	5.5%	1652	24.2%
E05004908	Greenhill and Eddington	266	4.4%	1469	24.2%
E05004909	Harbledown	128	4.4%	698	24.2%
E05004910	Harbour	272	4.9%	1192	21.6%
E05004911	Herne and Broomfield	607	6.4%	2308	24.5%
E05004912	Heron	577	6.0%	2116	22.2%
E05004913	Little Stour	135	4.6%	615	21.0%
E05004914	Marshside	205	5.7%	877	24.4%
E05004915	North Nailbourne	103	3.8%	563	20.5%
E05004916	Northgate	361	4.3%	1909	22.9%
E05004917	Reculver	364	4.0%	1656	18.2%
E05004918	St Stephens	400	3.4%	1806	15.6%
E05004919	Seasalter	351	4.2%	1631	19.3%
E05004920	Sturry North	168	5.9%	684	24.0%
E05004921	Sturry South	143	4.5%	708	22.5%
E05004922	Tankerton	148	3.0%	811	16.6%
E05004923	West Bay	329	4.9%	1409	20.8%
E05004924	Westgate	492	4.0%	2688	21.9%
E05004925	Wincheap	548	5.1%	2229	20.9%
Canterbury Total		7428	4.5%	36628	22.3%



Income deprivation affecting children (IDACI): by electoral ward

The percentage of children aged 0-15 years living in income deprived households, 2019



Source: DCLG, prepared by KPHO (LLY), Jan-20



Birth statistics

General fertility rate

Low birth weight

Infant mortality


Teenage conceptions



General fertility rate: by electoral ward

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018








General fertility rate: by electoral ward

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-18




The crude rate of total live births per 1,000 women aged 15-44





General fertility rate: by district


The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018





General Fertility Rate: trend

The crude rate of total live births per 1,000 women aged 15-44 years, 2010/11 to 2018/19




Decreasing compared with a stable trend for Kent



General Fertility Rate: by deprivation

The crude rate of total live births per 1,000 women aged 15 - 44 years, 2010-2012 to 2016-2018






Least deprived trend - decreasing with a similar pace of change to Kent Most deprived trend - no significant change compared with decreasing trend for Kent



Low birth weight: by electoral ward


The percentage of live births with low birth weight, 2500 grams or less, 2013-2015





Low birth weight: by electoral ward


The percentage of live births with low birth weight, 2500 grams or less, 2013-2015





Low birth weight: by district

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015






Low birth weight: trend

The percentage of live births with low birth weight, 2500 grams or less, 2006 to 2015






No significant change compared with a decreasing trend for Kent



Low birth weight: by deprivation

The percentage of live births with low birth weight, 2500 grams or less, 2006 - 2008 to 2013 - 2015




Least deprived trend - stable Most deprived trend - decreasing



Infant mortality rate: trend

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2008 to 2014 - 2016






Decreasing with a similar pace of change to Kent



Infant mortality rate: by district


Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2012-2016





Infant mortality rate: by deprivation

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2010 to 2012 - 2016




Least deprived trend - stable Most deprived trend - decreasing



Under 18 teenage conceptions: trend

Conception rate per 1,000 15-17 year olds, residence based, 2001 to 2017




Source: ONS, prepared by KPHO (ZC), Feb-20



Under 18 teenage conceptions: by district

Conception rate per 1,000 15-17 year olds, residence based, 2017





Source: ONS, prepared by KPHO (LLY), Feb-20



Wellbeing

Life expectancy at birth

Smoking at time of delivery

Breastfeeding: New born visit

Breastfeeding: 6-8 weeks

Immunisations: Dtap /IPV / Hib (1 year)

Immunisations: MMR for two doses (5 years)

Obesity & excess weight: Year R

Obesity & excess weight: Year 6

Good level of development


Tooth decay: Age 5



Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017







Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017






Life expectancy at birth, male: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

District —Kent


Life expectancy in years





Life expectancy at birth, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017



No significant change compared with a stable trend for Kent



Life expectancy at birth, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



2011 - 2015

Least deprived trend - no significant change compared with stable trend for Kent Most deprived trend - no significant change compared with decreasing trend for Kent

2012 - 2016

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

2010 - 2014



2013 - 2017


20

0

Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017


Ward —— Canterbury —— Kent





Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017






Life expectancy at birth, female: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

District —Kent






Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017



No significant change compared with a stable trend for Kent

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



2011 - 2015

Least deprived trend - no significant change compared with stable trend for Kent Most deprived trend - no significant change compared with stable trend for Kent

2013 - 2017

2012 - 2016

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

2010 - 2014



20


0

Smoking status at time of delivery: by district

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2017/18








Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



Smoking status at time of delivery: trend

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2010/11 to 2017/18



No significant change compared with a stable trend for Kent

Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



New born visit breastfeeding: by electoral ward


Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019

Canterbury

--- Kent




Ward





New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019






New born visit breastfeeding: by district

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019











Breastfeeding at 6-8 weeks: by electoral ward

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019








Breastfeeding at 6-8 weeks: by electoral ward

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019






Breastfeeding at 6-8 weeks: by district

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019










Population vaccination coverage - Dtap/IPV/Hib (1 year old): by electoral ward


Percentage of eligible children having immunisation, 2018/19





Population vaccination coverage - Dtap/IPV/Hib (1 year old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19



Increasing compared with a decreasing trend for England




Population vaccination coverage - Dtap/IPV/Hib (1 year old): by CCG

Percentage of eligible children having immunisation, 2018/19










Population vaccination coverage - MMR for two doses (5 years old): by electoral ward


Percentage of eligible children having immunisation, 2018/19





Population vaccination coverage - MMR for two doses (5 years old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19



Increasing compared with a decreasing trend for England




Population vaccination coverage - MMR for two doses (5 years old): by CCG

Percentage of eligible children having immunisation, 2018/19










Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

Ward —— Canterbury —— Kent






Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

Wards with no data have been subject to supression rules



Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19



Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

Wards in grey are subject to supression rules




Obesity in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

District — Kent








Obesity in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Obesity in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19

201213 - 201617



Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - no significant change compared with increasing trend for Kent

201314 - 201718

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

201112 - 201516



201415 - 201819

Percentage

40

30

20


10

0

Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19


Ward —— Canterbury —— Kent





Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19






Excess weight in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19


District —Kent





Excess weight in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Excess weight in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19





Least deprived trend - no significant change compared with stable trend for Kent Most deprived trend - no significant change compared with increasing trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20




Percentage

Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

Ward —— Canterbury —— Kent






Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

Wards with no data have been subject to supression rules



Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19






Obesity in year six children aged 10-11 years: by district

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

District —Kent








Obesity in year six children aged 10-11 years: trend

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Increasing compared with a stable trend for Kent



Obesity in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 - 2013/14 to 2016/17 - 2018/19





Least deprived trend - no significant change with a similar pace of change to Kent

Most deprived trend - increasing with a faster pace of change than Kent

Source: NCMP, NHS Digital, prepared by KPHO (SR), Feb-20




Percentage

Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19

Ward —— Canterbury —— Kent




Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Percentage

Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19






Excess weight in year six children aged 10-11 years: by district

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19

District — Kent








Excess weight in year six children aged 10-11 years: trend

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Excess weight in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19

201213 - 201617



Least deprived trend - decreasing with a faster pace of change than Kent Most deprived trend - increasing with a faster pace of change than Kent

201415 - 201819

201314 - 201718

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20

201112 - 201516



Percentage

50

40


30


20

10

0

Children achieving a good level of development at the end of reception year: by electoral ward






Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by district

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Percentage

Children achieving a good level of development at the end of reception year: trend

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2013 to 2019




Increasing with a similar pace of change to Kent

Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Tooth decay in children aged five: by district

The percentage of children at age 5 years, within the survey sample, who experienced decayed, missing or extracted teeth, 2017




Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (TG), May-18



Tooth decay in children aged five: trend

The percentage of children at age 5 years (within the survey sample) who experienced decayed, missing or extracted teeth, 2009 to 2017



No significant change compared with a stable trend for Kent

Source: Dental Public Health Epidemiology Programme for England: Or al health survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by KPHO (RK), Jun-18 and Survey of five-year-old children, prepared by Survey of five-year-old children, prepared by Survey of five-year-old children, prep



Healthcare usage

A&E attendances


Elective hospital admissions


Emergency hospital admissions



Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (JS), \, Dec-19 \, Appendix \, Digital, \, Constant \, Digital, \, Dec-19 \, Appendix \, Dec-19 \,$




Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19




Crude rate per 1,000 children aged 0-4 years





Accident & Emergency attendances in children aged 0-4 years: by district


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19





Accident & Emergency attendances in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a slower pace of change than England



Accident & Emergency attendances in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - increasing with a slower pace of change than Kent Most deprived trend - no significant change compared with an increasing trend for Kent



Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward


Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19






Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Crude rate per 1,000 children and young people aged 0-19 years





Accident & Emergency attendances in children & young people aged 0-19 years: by district


Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19





Accident & Emergency attendances in children & young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13-2018/19



No significant change compared with an increasing trend for Kent



Accident & Emergency attendances in children & young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13 -2014/5 to 2016/17 - 2018/19




Least deprived trend - no significant change compared with an increasing trend for Kent Most deprived trend - no significant change compared with an increasing trend for Kent



Elective hospital admissions in children aged 0-4 years: by electoral ward


Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19






Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19



Crude rate per 1,000






Elective hospital admissions in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19








Elective hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Decreasing compared with an increasing trend for Kent



Elective hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12-2015/16 to 2014/15-2018/19




Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - decreasing compared with a increasing trend for Kent



Elective hospital admissions in children and young people aged 0-19 years: by electoral ward


Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19






Elective hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19



Crude rate per 1,000






Elective hospital admissions in children and young people aged 0-19 years: by district

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19








Elective hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




Decreasing compared with an increasing trend for Kent



Elective hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19





Least deprived trend - no significant change compared with a increasing trend for Kent Most deprived trend - decreasing compared with a increasing trend for Kent



Emergency hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19








Emergency hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19





Emergency hospital admissions in children aged 0-4 years: by district

District


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19

Kent

Sevenoaks Folkestone &

Hythe

Swale



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19

Canter bury

Dartford

Dover

Gravesham

Maidstone



Tunbridge

Wells

Tonbridge &

Malling


Thanet

0

Ashford

Emergency hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a similar pace of change to Kent



Emergency hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - increasing compared with an increasing trend for Kent Most deprived trend - increasing with a faster pace of change than Kent



Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward


Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19





Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19



Crude rate per 1,000 children and young people aged 0-19 years






Emergency hospital admissions in children and young people aged 0-19 years: by district

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19






 $Source: Hospital\,Episode\,Statistics\,(HES), NHS\,Digital, ONS, prepared\,by\,KPHO\,(ZC), Ja\,n-20$



Emergency hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent



Emergency hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - increasing with a faster pace of change than Kent Most deprived trend - increasing with a similar pace of change to Kent



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by district

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2014/15-2018/19




 $Source: Hospital Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Feb-20 \, Appendix \, Append$



Emergency hospital admissions for asthma in children and young people aged 0-19 years: trend

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by deprivation

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable with a similar pace of change to England Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by district

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: trend

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




No significant change compared with a decreasing trend for Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by deprivation

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - no significant change compared with a decreasing trend for Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward


Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward


Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by district

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan-20

Canter bury

Dartford

Dover

Gravesham

Maidstone

Sevenoaks Folkestone &

Hythe

Swale

Thanet



Tunbridge

Wells

Tonbridge &


Malling

0

Ashford

Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: trend

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




No significant change compared with a decreasing trend for Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by deprivation


Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - no significant change compared with a decreasing trend for Kent Most deprived trend - no significant change compared with a decreasing trend for Kent




Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward


Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by district

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19




 $Source: Hospital Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (JS), \, Nov-19$



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: trend

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Decreasing with a similar pace of change to Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by deprivation

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - decreasing with a faster pace of change than Kent Most deprived trend - decreasing with a similar pace of change to Kent



Hospital admissions for self-harm in children and young people aged 10-24 years: by district

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2013/14 to 2018/19








Hospital admissions for self-harm in children and young people aged 10-24 years: trend

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Hospital admissions for self-harm in young people aged 10-24 years: by deprivation

Age standardised rate per 100,000 children and young people aged 10-24 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - decreasing with a similar pace of change to Kent

 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepare \, d \, by \, KPHO \, (LLY), \, Jan-20 \, d \, (LLY), \, Constant \, ($



Hospital admissions for respiratory tract infections in infants under 1: by district


Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2014/15-2018/19





Hospital admissions for respiratory tract infections in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2011/12-2013/14 to 2016/17-2018/19




Increasing with a faster pace of change than Kent



Hospital admissions for respiratory tract infections in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2010/11 - 2014/15 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a faster pace of change than England



Hospital admissions for gastroenteritis in infants under 1: by district

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2014/15-2018/19






 $Source: Hospital Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Feb-20 \,$



Hospital admissions for gastroenteritis in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing compared with a stable trend for Kent



Hospital admissions for gastroenteritis in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19





Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - stable compared with a decreasing trend for England



Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 relevant resident population, 2011/12 - 2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Jan-20 \, MeV \, (MES) \, (ME$

Wards with no data have been subject to supression rules



Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 live births, 2011/12 - 2018/19



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20


Wards in grey are subject to supression rules



Emergency admissions of babies to hospital within 14 days of birth: by district

Crude rate per 1,000 relevant resident population, 2016/17-2018/19





 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Jan-20 \, Appendix \, Appe$



Emergency admissions of babies to hospital within 14 days of birth: trend

Crude rate per 1,000 live births, 2011/12 - 2013/14 to 2016/17 - 2018/19



Increasing with a similar pace of change to Kent

