
OBSERVATORY

Ageing Well: Older people in Ashford CCG

Contents




User guide

Ageing Well: Older people in Ashford CCG

OBSERVATORY

KENT PUBLIC HEALTH

Heath and Social Care Maps



Demographics

Population numbers: Age 65+

Population projections: Age 65+

Population numbers: Age 85+


Population Numbers: Summary table

Income Deprivation Affecting Older People Index (IDAOPI)



Persons aged 65 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: ONS, prepared by KPHO (LLY), Dec-19

number



Persons aged 65 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018



Office for National Statistics midyear estimates




1,155 to 1,483 890 to 1,155 695 to 890 Less than 695

Source: Office for National Statistics mid-year estimates, prepared by KPHO (LLY), Dec-19



Persons aged 65 years and over: population projections

Office for National Statistics 2016-based projections




Ashford CCG ONS projection

Source: ONS, KCC, prepared by KPHO (LLY), Jan-20

Persons aged 85 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: ONS, prepared by KPHO (ZC), Dec-19



Persons aged 85 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018



Source: Office for National Statistics mid-year estimates, prepared by KPHO (ZC), Feb-20



Mid 2018 Population Estimates by Electoral Ward Source: ONS

Ward Code 2011	Ward Name	65	65+		85+	
		Number	%	Number	%	
E05004867	Aylesford Green	544	13.3%	44	1.1%	
E05004868	Beaver	1044	16.8%	121	1.9%	
E05004869	Biddenden	722	27.5%	81	3.1%	
E05004870	Bockhanger	728	26.1%	121	4.3%	
E05004871	Boughton Aluph and Eastwell	483	14.7%	58	1.8%	
E05004872	Bybrook	621	22.5%	76	2.8%	
E05004873	Charing	833	31.2%	133	5.0%	
E05004874	Downs North	627	24.4%	62	2.4%	
E05004875	Downs West	658	26.4%	97	3.9%	
E05004876	Godinton	932	11.5%	103	1.3%	
E05004877	Great Chart with Singleton North	434	10.8%	57	1.4%	
E05004878	Highfield	455	18.5%	52	2.1%	
E05004879	Isle of Oxney	747	28.2%	59	2.2%	
E05004880	Kennington	640	27.9%	85	3.7%	
E05004881	Little Burton Farm	412	13.7%	58	1.9%	
E05004882	Norman	433	14.0%	45	1.5%	
E05004883	North Willesborough	1161	22.5%	159	3.1%	
E05004884	Park Farm North	467	9.5%	59	1.2%	
E05004885	Park Farm South	145	7.4%	11	0.6%	
E05004886	Rolvenden and Tenterden West	811	32.8%	113	4.6%	
E05004888	Saxon Shore	1430	26.4%	165	3.0%	
E05004889	Singleton South	552	16.5%	81	2.4%	
E05004890	South Willesborough	346	8.7%	29	0.7%	
E05004887	St Michaels	739	30.8%	140	5.8%	
E05004891	Stanhope	298	7.4%	25	0.6%	
E05004892	Stour	975	17.3%	151	2.7%	
E05004893	Tenterden North	851	39.0%	126	5.8%	
E05004894	Tenterden South	824	34.5%	160	6.7%	
E05004895	Victoria	818	12.6%	77	1.2%	
E05004896	Washford	390	10.0%	25	0.6%	
E05004897	Weald Central	1350	25.9%	158	3.0%	
E05004898	Weald East	563	13.8%	47	1.2%	
E05004899	Weald North	655	26.7%	69	2.8%	
E05004900	Weald South	1623	28.8%	243	4.3%	
E05004901	Wye	660	25.4%	132	5.1%	
Ashford CCG Total		24971	19.3%	3222	2.5%	



Income deprivation affecting older people (IDAOPI): by electoral ward

The percentage of those aged 60 or over who experience income deprivation, 2019



Source: DCLG, prepared by KPHO (MP), Oct-19




Wellbeing & disease prevalence

Life expectancy at 65

Dementia prevalence

Multimorbidity: Age 65+






Life expectancy at 65 years, male: by electoral ward



Life expectancy at 65 years, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18

Wards in grey had total person years below 5,000



Life expectancy at 65 years, male: by CCG


Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017





Life expectancy at 65 years, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent



Life expectancy at 65 years, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18

Ageing Well: Older people in Ashford CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017 Ashford CCG Ward --- Kent 40 24.0 24.0 21.9 23.1 23.5 23.5 22.6 22.4 22.4 22.2 22.2 22.2 21.9 21.5 21.3 20.1 20.6 20.6 19.9 19.8 19.3 23.2 23.1 22.7 22.2 22.7 20.7 30 20 10 Great Chartwith Singleton north 0 Roverden and Tenterden West Boughton Auph and Estwell TenterdenNorth Tenterdensouth PartFarmNorth Washford Little Buton Farm wealdcentral Avlesford Green NorthWillesborough South Willeborough singleton south PartFarmSouth Godinton WealdFast Downswest Weald South St Michaels Downshorth Weald North 15te of Oxney Bockhanger Kennington Stanhope Charing Norman Victoria Beaver NYe

Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18

Life expectancy in years

Life expectancy at 65 years, female: by electoral ward

Life expectancy at 65 years, female: by electoral ward


Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017





Life expectancy at 65 years, female: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017




Life expectancy in years



Life expectancy at 65 years, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent



Life expectancy at 65 years, female: by deprivation


Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017





Recorded dementia prevalence: by practice


Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19



Source: QOF, prepared by KPHO (ZC), Nov-19

Percentage






Source: QOF, prepared by KPHO (ZC), Nov-19



Recorded dementia prevalence: trend

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2010/11 to 2018/19




Source: QOF, prepared by KPHO (ZC), Nov-19



Multimorbidity in people aged 65 and over (developmental statistics): by CCG

Patients recorded by their GP as having 2 or more long-term conditions, age standardised rate per 100,000 people aged 65 years and over, 2017



Source: Kent Integrated Dataset (KID), prepared by KPHO (TG), Apr-18



Mortality

Mortality from all causes: Age 65+

Cause of death: Age 65+

Mortality from cancers: Age 65+


Mortality from cardiovascular disease: Age 65+

Mortality from respiratory disease: Age 65+



Mortality from all causes for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017





Mortality from all causes for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2015-2017





Mortality from all causes for people aged 65 and over: by CCG


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017





Mortality from all causes for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2010 to 2017




No significant change compared with a stable trend for Kent



Mortality from all causes for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlyingcause of death (ICD-10: A00-Y99), 2010 - 2012 to 2015 - 2017




Most deprived trend - stable



Causes of mortality

Underlying cause of death for persons aged 65 years and over, 2017






Mortality from cancers for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-


2017





Mortality from cancers for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017






Mortality from cancers for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-


2017





Mortality from cancers for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 to 2017




No significant change compared with a stable trend for Kent



Mortality from cancers for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 -

2013 to 2015 - 2017




Most deprived trend - stable



Mortality from cardiovascular disease for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017





Mortality from cardiovascular disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017






Mortality from cardiovascular disease for people aged 65 and over: by CCG


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-

2017



Mortality from cardiovascular disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2010 to 2017



Decreasing with a similar pace of change to Kent




Mortality from respiratory disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2013-

Ashford CCG


– – Kent

2017



Mortality from respiratory disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2013-2017






Mortality from respiratory disease for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2013-

2017




Age standardised rate per 100,000 relevant resident population



Mortality from respiratory disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 to 2017




No significant change compared with a stable trend for Kent



Mortality from respiratory disease for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 - 2014 to 2013 -

2017



Healthcare usage

A&E attendances: Age 65+

Elective hospital admissions: Age 65+

Emergency hospital admissions: Age 65+

Hospital admissions for falls: Age 65+


Hospital admissions caused by hip fracture: Age 65+

Hospital admissions caused by flu: Age 65+

Hospital admissions involving dementia: Age 65+



Accident & Emergency attendances in people aged 65 and over: by electoral ward




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19

Wards with no data have been subject to supression rules



Accident & Emergency attendances in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19



Age standardised rate per 100,000 people aged 65 and over




Greater than 56,038.8 47,196.9 to 56,038.8 41,336.5 to 47,196.9 37,268.7 to 41,336.5 Less than 37,268.7



Accident & Emergency attendances in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19





Accident & Emergency attendances in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a slower pace of change than England



Elective hospital admissions in people aged 65 and over: by deprivation


Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - no significant change compared with an increasing trend for Kent Most deprived trend - increasing with a slower pace of change than Kent



Elective hospital admissions in people aged 65 and over: by electoral ward








Elective hospital admissions in people aged 65 and over: by electoral ward


Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19





Elective hospital admissions in people aged 65 and over: by CCG

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19





Elective hospital admissions in people aged 65 and over: trend

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Decreasing compared with a stable trend for Kent



Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - decreasing compared with an stable trend for Kent Most deprived trend - decreasing compared with a stable trend for Kent



Emergency hospital admissions in people aged 65 and over: by electoral ward








Emergency hospital admissions in people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, 2014/15-2018/19





Emergency hospital admissions in people aged 65 and over: by CCG


Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19





Emergency hospital admissions in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent



Emergency hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - increasing with a similar pace of change to Kent



Emergency hospital admissions due to falls in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19

Wards with no data have been subject to suppression rules



Emergency hospital admissions due to falls in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19




Age standardised rate per 100,000 people aged 65 and over

Greater than 2,635.9 2,201.8 to 2,635.9 1,852.6 to 2,201.8 1,637.0 to 1,852.6 Less than 1,637.0

Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19


Wards with no data have been subject to suppression rules





Emergency hospital admissions due to falls in people aged 65 and over: by CCG


Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19





Emergency hospital admissions due to falls in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2010/11 to 2018/19




No significant change compared with a stable trend for Kent



Emergency hospital admissions due to falls in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - decreasing compared with a increasing trend for England Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19




Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19

Wards with no data have been subject to supression rules




Emergency hospital admissions caused by hip fracture in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19


Wards in grey are subject to supression rules





Emergency hospital admissions caused by hip fracture in people aged 65 and over: by CCG








Emergency hospital admissions caused by hip fracture in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




Decreasing with a similar pace of change to Kent



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by deprivation


Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable compared with a decreasing trend for England Most deprived trend - stable compared with a decreasing trend for England



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by electoral ward




Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19




Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19





Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by CCG




Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by deprivation


Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by electoral ward



Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19


Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

Wards with no data have been subject to supression rules




Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19





Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by CCG




Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England

