

Contents

Overview

Demographics

Premature mortality

Healthcare usage

Clinical effectiveness

Lifestyle

Multimorbidity



Living Well: Thanet CCG

Pneumonia III


Bronchitis, emphysema & other COPD

Heath and Social Care Maps



(under 75 years)

Cause of death




Inequalities by deprivation

Gastrointestinal diseases

Neurological conditions

Infant & congenital conditions




LIFE EXPECTANCY

at birth



Ward-level life expectancy (men)



LONG TERM CONDITIONS

recorded prevalence


Diabetes

Ages 17+

Hypertension All ages

Asthma

Source: QOF, 2018/19



MENTAL HEALTH

Depression



14.0%

Of adults recorded by their GP as having depression

Emergency hospital admissions for serious mental health conditions

> 284 in 2018/19



Source: QOF. 2018/19: HES.


Demographics


Index of Multiple Deprivation (IMD)



Index of Multiple Deprivation (IMD): by electoral ward

Overall IMD score, population weighted quintile, 2019





Source: DCLG, prepared by KPHO (MP), Oct-19



Premature mortality


Premature mortalty from all causes

Causes of premature death



Premature mortality from all causes: by electoral ward


Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: A00-Y99), 2015-






Premature mortality from all causes: by electoral ward

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: A00-Y99), 2015-2017








Premature mortality from all causes: by CCG

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: A00-Y99), 2015-2017






Premature mortality from all causes: trend

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10:A00-Y99), 2010 to 2017






No significant change compared with a decreasing trend for Kent



Premature mortality from all causes: by deprivation

Age standardised rate per 100,000 people aged under 75 years, classified by underlying cause of death (ICD-10: A00-Y99), 2010 to 2017




Least deprived trend - stable Most deprived trend - stable



Causes of premature mortality

Underlying cause of death for persons aged under 75 years, 2017



Gastrointestinal diseases

Neurological conditions
Infant & congenital conditions
Other

Ischaemic heart disease

Cerebrovascular diseases

Heart disease (other)

aaa Ottio

Circulatory

Other

Injuries

Other



Healthcare usage

A&E attendances


Elective hospital admissions


Emergency hospital admissions



Accident & Emergency attendances: by electoral ward

Age standardised rate per 100,000 resident population, , 2016/17-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (SR), \, Dec-19$



Accident & Emergency attendances: by electoral ward

Age standardised rate per 100,000 resident population, 2016/17-2018/19






Accident & Emergency attendances: by CCG

Age standardised rate per 100,000 resident population, , 2016/17-2018/19







Accident & Emergency attendances: trend

Age standardised rate per 100,000 resident population, 2010/11 - 2012/13 to 2016/17 - 2018/19




No significant change compared with an increasing trend for Kent



Accident & Emergency attendances: by deprivation

Age standardised rate per 100,000 resident population, 2011/12 - 2013/14 to 2016/17 - 2018/19





Least deprived trend - increasing with a faster pace of change than England Most deprived trend - increasing with a similar pace of change to England



Elective hospital admissions: by electoral ward

Age standardised rate per 100,000 resident population, 2016/17-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (MP), \, Nov-19$



Elective hospital admissions: by electoral ward

Age standardised rate per 100,000 resident population, 2016/17-2018/19






Elective hospital admissions: by CCG

Age standardised rate per 100,000 resident population, 2016/17-2018/19







Elective hospital admissions: trend

Age standardised rate per 100,000 resident population, 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent



Elective hospital admissions: by deprivation

Age standardised rate per 100,000 resident population, 2011/12 - 2013/14 to 2016/17 - 2018/19





Least deprived trend - increasing with a similar pace of change to England Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions: by electoral ward

Age standardised rate per 100,000 resident population, 2016/17-2018/19






 $Source: Hospital Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (JS), \, Nov-19 \, Appendix \, Append$



Emergency hospital admissions: by electoral ward

Age standardised rate per 100,000 resident population, 2016/17-2018/19






Emergency hospital admissions: by CCG

Age standardised rate per 100,000 resident population, 2016/17-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepare \, d \, by \, KPHO \, (JS), \, Nov-19$



Emergency hospital admissions: trend

Age standardised rate per 100,000 resident population, 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with an increasing trend for Kent



Emergency hospital admissions: by deprivation

Age standardised rate per 100,000 resident population, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England



Clinical effectiveness

Mortality from causes considered avoidable

Mortality from causes considered amenable

Mortality from causes considered preventable


Avoidable admissions for chronic conditions

Avoidable admissions for acute conditions



Avoidable mortality: by electoral ward


Age standardised rate per 100,000 resident population, for potentially avoidable deaths identified by using underlying cause and age group, 2013-2017





Avoidable mortality: by electoral ward


Age standardised rate per 100,000 resident population, for potentially avoidable deaths identified by using underlying cause and age group, 2013-2017





Avoidable mortality: by CCG

Age standardised rate per 100,000 resident population, for potentially avoidable deaths identified by using underlying cause and age group, 2013-2017






Avoidable mortality: trend

Age standardised rate per 100,000 resident population, for potentially avoidable deaths identified by using underlying cause and age group, 2010 - 2012 to 2015 - 2017






No significant change compared with a stable trend for Kent



Avoidable mortality: by deprivation

Age standardised rate per 100,000 resident population, for potentially avoidable deaths identified by using underlying cause and age group, 2010 - 2012 to 2015 - 2017




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - stable compared with a decreasing trend for England



Amenable mortality: by electoral ward


Age standardised rate per 100,000 resident population, for deaths amenable to healthcare identified by using underlying cause and age group, 2013-2017





Amenable mortality: by electoral ward


Age standardised rate per 100,000 resident population, for deaths amenable to healthcare identified by using underlying cause and age group, 2013-2017





Amenable mortality: by CCG

Age standardised rate per 100,000 resident population, for deaths amenable to healthcare identified by using underlying cause and age group, 2013-2017






Amenable mortality: trend

Age standardised rate per 100,000 resident population, for deaths amenable to healthcare identified by using underlying cause and age group, 2010 - 2012 to 2015 - 2017






Decreasing with a similar pace of change to Kent



Amenable mortality: by deprivation

Age standardised rate per 100,000 resident population, for deaths amenable to healthcare identified by using underlying cause and age group, 2010 - 2012 to 2015 - 2017




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - decreasing compared with a decreasing trend for England



Preventable mortality: by electoral ward


Age standardised rate per 100,000 resident population, for deaths that could be prevented by health intervention identified by using underlying cause and age group, 2013-2017






Preventable mortality: by electoral ward

Age standardised rate per 100,000 resident population, for deaths that could be prevented by health intervention identified by using underlying cause and age group, 2013-2017








Preventable mortality: by CCG

Age standardised rate per 100,000 resident population, for deaths that could be prevented by health intervention identified by using underlying cause and age group, 2013-2017






Preventable mortality: trend

Age standardised rate per 100,000 resident population, for deaths that could be prevented by health intervention identified by using underlying cause and age group, 2010 - 2012 to 2015 - 2017






No significant change compared with a stable trend for Kent



Preventable mortality: by deprivation

Age standardised rate per 100,000 resident population, for deaths that could be prevented by health intervention identified by using underlying cause and age group, 2010 - 2012 to 2015 - 2017




Least deprived trend - decreasing Most deprived trend - stable



Avoidable emergency hospital admissions for chronic ambulatory care sensitive conditions: by CCG


Age standardised rate per 100,000 resident population, persons, 2016/17-2018/19





Avoidable emergency hospital admissions for chronic ambulatory care sensitive conditions: trend

Age standardised rate per 100,000 resident population, persons, 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent



Avoidable emergency hospital admissions for chronic ambulatory care sensitive conditions: by deprivation

Age standardised rate per 100,000 resident population, persons, 2010/11 - 2014/15 to 2014/15 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - stable compared with a increasing trend for England



Avoidable emergency hospital admissions for acute conditions: by electoral ward

Age standardised rate per 100,000 resident population, persons, 2016/17-2018/19






Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards with no data have been subject to supression rules



Avoidable emergency hospital admissions for acute conditions: by electoral ward


Age standardised rate per 100,000 resident population, persons, 2016/17-2018/19





Avoidable emergency hospital admissions for acute conditions: by CCG

Age standardised rate per 100,000 resident population, persons, 2016/17-2018/19





Avoidable emergency hospital admissions for acute conditions: trend

Age standardised rate per 100,000 resident population, persons, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent



Avoidable emergency hospital admissions for acute conditions: by deprivation

Age standardised rate per 100,000 resident population, persons, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - increasing with a slower pace of change than England Most deprived trend - increasing with a similar pace of change to England

Source: <Select>, prepared by KPHO (ZC), Jan-20



Lifestyle

Excess weight

Physical activity

Smoking

Fruit and vegetable consumption




Adults classified as overweight or obese: by district

Percentage of adults (aged 18+) classified as overweight or obese, 2017/18

District —Kent

Percentage




Source: Public Health England (based on Active Lives survey, Sport England), prepared by KPHO (LLY), May-19



Physical inactivity in adults: by district

Percentage of adults (aged 19+) that are physically inactive (<30 moderate intensity equivalent minutes per week), 2017/18





 $Source: Public \, Health \, England \, (based \, on \, Active \, Lives, Sport \, England), \, prepared \, by \, KPHO \, (SR), \, Jun \, -19 \, March \, (SR) \, (SR$

Percentage




Smoking prevalence in adults: by district

Percentage of adults (aged 18+) who are self-reported smokers, 2018

District — Kent

Percentage




Source: Annual Population Survey (APS), prepared by KPHO (MP), Nov-19



Smoking prevalence in adults: trend

Percentage of adults (aged 18+) who are self-reported smokers, 2011 to 2018



Source: Annual Population Survey (APS), prepared by KPHO (MP), Nov-19




Fruit and vegetable consumption in adults: by district

Percentage of adults (aged 16+) meeting the recommended '5-a-day' on a 'usual day', 2017/18







Source: Public Health England (based on Active Lives, Sport England), prepared by KPHO (SR), Jun-19



Multimorbidity

Multimorbidity prevalence


Prevalence of long term condition combinations



Multimorbidity (developmental statistics): by CCG

Patients (aged 25 years and over) recorded by their GP as having 2 or more long-term conditions, analysis is restricted to GP practices flowing data into the KID at time of the analysis, 2019






Source: Kent Integrated Dataset (KID), prepared by KPHO (LLY), Aug-19



Multimorbidity (developmental statistics): Prevalence of long term condition combinations

Patients recorded by their GP as having specific combinations of long term conditions, Kent, March 2018



Source: Kent Integrated Dataset (KID), prepared by KPHO (TG), March 2018



^{*} Figures relate to persons resident in Kent and registered at a GP participating in the KID in March 2018