

Contents

Overview

Demographics

Birth statistics


Wellbeing

Healthcare usage



Starting Well: Children in Ashford

Heath and Social Care Maps



CHILDHOOD OBESITY 24% of Year R pupils overweight or obese 33% of Year 6 pupils overweight or obese Source: NCMP, 2014/15-2018/19

Ward-level excess weight (Year 6)

Highest


Lowest


Stanhope

Ashford

Tenterden North

Kent





Source: NCMP, 2014/15-2018/19 combined

Demographics

Population numbers: Ages 0 to 4

Population projections: Ages 0 to 4

Population numbers: Ages 0 to 19

Population projections: Ages 0 to 19


Population Numbers: Summary table

Income Deprivation Affecting Children Index (IDACI)



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018




Source: ONS, prepared by KPHO (LLY), Oct-19



Children aged 0-4 years: by electoral ward

Office for National Statistics mid-year estimates, number and percentage of the relevant resident population, 2018



Source: ONS, prepared by KPHO (MP), Oct-19

Greater than 451 339 to 451 253 to 339 154 to 253 Less than 154




year estimates

Children aged 0-4 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)






Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018




Source: Office for National Statistics mid-year estimates, prepared by KPHO (MP), Nov-19



Children & young people aged 0-19 years: by electoral ward

Office for National Statistics mid-year estimates, number of the relevant resident population, 2018



Source: ONS, prepared by KPHO (MP), Nov-19


Greater than 1,822 1,442 to 1,822 1,132 to 1,442 729 to 1,132 Less than 729



year estimates

Children & young people aged 0-19 years: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (October 2018)



Source: ONS, KCC, prepared by KPHO (RK), Nov-18




Ward Code 2011	Ward Name	0-	0-4		0-19	
		Number	%	Number	%	
E05004867	Aylesford Green	327	8.0%	1203	29.4%	
E05004868	Beaver	435	7.0%	1646	26.5%	
E05004869	Biddenden	118	4.5%	560	21.3%	
E05004870	Bockhanger	167	6.0%	667	24.0%	
E05004871	Boughton Aluph and Eastwell	223	6.8%	891	27.1%	
E05004872	Bybrook	218	7.9%	754	27.3%	
E05004873	Charing	117	4.4%	494	18.5%	
E05004874	Downs North	136	5.3%	576	22.4%	
E05004875	Downs West	99	4.0%	552	22.2%	
E05004876	Godinton	563	7.0%	2240	27.7%	
E05004877	Great Chart with Singleton North	286	7.1%	1124	27.9%	
E05004878	Highfield	122	5.0%	610	24.8%	
E05004879	Isle of Oxney	103	3.9%	526	19.9%	
E05004880	Kennington	101	4.4%	487	21.2%	
E05004881	Little Burton Farm	168	5.6%	863	28.7%	
E05004882	Norman	238	7.7%	750	24.3%	
E05004883	North Willesborough	259	5.0%	1132	22.0%	
E05004884	Park Farm North	362	7.4%	1431	29.2%	
E05004885	Park Farm South	134	6.9%	637	32.6%	
E05004886	Rolvenden and Tenterden West	92	3.7%	450	18.2%	
E05004887	St Michaels	77	3.2%	495	20.6%	
E05004888	Saxon Shore	249	4.6%	1183	21.9%	
E05004889	Singleton South	214	6.4%	776	23.2%	
E05004890	South Willesborough	299	7.5%	1139	28.7%	
E05004891	Stanhope	384	9.5%	1567	38.9%	
E05004892	Stour	396	7.0%	1461	25.9%	
E05004893	Tenterden North	74	3.4%	343	15.7%	
E05004894	Tenterden South	95	4.0%	457	19.1%	
E05004895	Victoria	613	9.4%	1837	28.3%	
E05004896	Washford	296	7.6%	1144	29.4%	
E05004897	Weald Central	231	4.4%	1122	21.5%	
E05004898	Weald East	391	9.6%	1152	28.2%	
E05004899	Weald North	68	2.8%	472	19.3%	
E05004900	Weald South	275	4.9%	1214	21.6%	
E05004901	Wye	147	5.7%	582	22.4%	
Ashford Total		8077	6.2%	32537	25.2%	



Income deprivation affecting children (IDACI): by electoral ward

The percentage of children aged 0-15 years living in income deprived households, 2019



Source: DCLG, prepared by KPHO (LLY), Jan-20



Birth statistics

General fertility rate

Low birth weight

Infant mortality


Teenage conceptions



General fertility rate: by electoral ward

The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018








General fertility rate: by electoral ward


The crude rate of total live births per 1,000 women aged 15 to 44, 2016-18





General fertility rate: by district


The crude rate of total live births per 1,000 women aged 15 to 44, 2016-2018





General Fertility Rate: trend

The crude rate of total live births per 1,000 women aged 15-44 years, 2010/11 to 2018/19




No significant change compared with a stable trend for Kent



General Fertility Rate: by deprivation

The crude rate of total live births per 1,000 women aged 15 - 44 years, 2010-2012 to 2016-2018




Least deprived trend - no significant change compared with decreasing trend for Kent Most deprived trend - decreasing with a similar pace of change to Kent



Low birth weight: by electoral ward

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015




Source: ONS, NHS Digital, prepared by KPHO (RK), Nov-17

Wards with no data have been subject to supression rules



Low birth weight: by electoral ward


The percentage of live births with low birth weight, 2500 grams or less, 2013-2015





Low birth weight: by district

The percentage of live births with low birth weight, 2500 grams or less, 2013-2015






Low birth weight: trend

The percentage of live births with low birth weight, 2500 grams or less, 2006 to 2015






Decreasing with a similar pace of change to Kent



Low birth weight: by deprivation

The percentage of live births with low birth weight, 2500 grams or less, 2006 - 2008 to 2013 - 2015




Least deprived trend - stable Most deprived trend - decreasing



Infant mortality rate: trend

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2008 to 2014 - 2016






No significant change compared with a decreasing trend for Kent



Infant mortality rate: by district


Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2012-2016





Infant mortality rate: by deprivation

Crude rate of deaths that occur in infants under the age of 1 year per 1,000 live births, 2006 - 2010 to 2012 - 2016




Least deprived trend - stable Most deprived trend - decreasing



Under 18 teenage conceptions: trend

Conception rate per 1,000 15-17 year olds, residence based, 2001 to 2017




Source: ONS, prepared by KPHO (ZC), Feb-20



Under 18 teenage conceptions: by district

Conception rate per 1,000 15-17 year olds, residence based, 2017





Source: ONS, prepared by KPHO (LLY), Feb-20



Wellbeing

Life expectancy at birth

Smoking at time of delivery

Breastfeeding: New born visit

Breastfeeding: 6-8 weeks

Immunisations: Dtap /IPV / Hib (1 year)

Immunisations: MMR for two doses (5 years)

Obesity & excess weight: Year R

Obesity & excess weight: Year 6


Good level of development


Tooth decay: Age 5



Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017







Life expectancy at birth, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017



Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18

Wards in grey have total person years below 5,000




Life expectancy at birth, male: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

District —Kent








Life expectancy at birth, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent



Life expectancy at birth, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017





Least deprived trend - stable Most deprived trend - decreasing



Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017








Life expectancy at birth, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017






Life expectancy at birth, female: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

District —Kent






Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at birth, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - stable Most deprived trend - stable

Source: PCMD, ONS, PHE, prepared by KPHO (ZC), Nov-18




Smoking status at time of delivery: by district

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2017/18



Percentage



Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



Smoking status at time of delivery: trend

Percentage of mothers known to be smokers at the time of delivery as a percentage of all maternities, 2010/11 to 2017/18



No significant change compared with a stable trend for Kent


Source: PHE, NHS Digital, prepared by KPHO (RK), Feb-19



New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019






Source: KCHFT, prepared by KPHO (LLY), Jan-20



Percentage

New born visit breastfeeding: by electoral ward

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019



Source: KCHFT, prepared by KPHO (LLY), Jan-20




New born visit breastfeeding: by district

Percentage of babies recorded as being breastfed, as a percentage of all those due a new born visit, January 2018-June 2019







Source: KCHFT, prepared by KPHO (LLY), Jan-20




Breastfeeding at 6-8 weeks: by electoral ward

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019








Source: KCHFT, prepared by KPHO (LLY), Jan-20

Wards with no data have been subject to supression rules



Breastfeeding at 6-8 weeks: by electoral ward

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019



Source: KCHFT, prepared by KPHO (LLY), Jan-20

Wards in grey are subject to supression rules




Breastfeeding at 6-8 weeks: by district

Percentage of babies recorded as breastfed at 6-8 week health visitor check, January 2018 - June 2019








Source: KCHFT, prepared by KPHO (LLY), Jan-20



Population vaccination coverage - Dtap/IPV/Hib (1 year old): by electoral ward


Percentage of eligible children having immunisation, 2018/19





Population vaccination coverage - Dtap/IPV/Hib (1 year old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19



Increasing compared with a decreasing trend for England




Population vaccination coverage - Dtap/IPV/Hib (1 year old): by CCG

Percentage of eligible children having immunisation, 2018/19










Population vaccination coverage - MMR for two doses (5 years old): by electoral ward


Percentage of eligible children having immunisation, 2018/19





Population vaccination coverage - MMR for two doses (5 years old): trend

Percentage of eligible children having immunisation, 2014/15 to 2018/19



Increasing compared with a decreasing trend for England




Population vaccination coverage - MMR for two doses (5 years old): by CCG

Percentage of eligible children having immunisation, 2018/19










Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19


Ward —— Ashford —— Kent





Obesity in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19






Obesity in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

District —Kent







Obesity in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Obesity in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19





Least deprived trend - stable Most deprived trend - increasing



Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19








Excess weight in reception year children aged 4-5 years: by electoral ward

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19






Excess weight in reception year children aged 4-5 years: by district

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

District — Kent








Excess weight in reception year children aged 4-5 years: trend

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Excess weight in reception year children aged 4-5 years: by deprivation

Percentage of reception year pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



Least deprived trend - no significant change compared with stable trend for Kent Most deprived trend - no significant change compared with increasing trend for Kent




Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

Ward —— Ashford —— Kent






Source: NCMP, NHS Digital, prepared by KPHO (SR), Jan-20

Wards with no data have been subject to supression rules




Obesity in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19



Percentage of year six pupils measured as obese






Obesity in year six children aged 10-11 years: by district

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2014/15-2018/19

District —Kent








Obesity in year six children aged 10-11 years: trend

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Obesity in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as obese, Body Mass Index greater than or equal to the 95th centile of the UK90 growth reference according to age and sex, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - no significant change compared with increasing trend for Kent



Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19






Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Percentage

Excess weight in year six children aged 10-11 years: by electoral ward

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19






Excess weight in year six children aged 10-11 years: by district

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2014/15 to 2018/19

District — Kent








Excess weight in year six children aged 10-11 years: trend

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19



Decreasing compared with a stable trend for Kent



Excess weight in year six children aged 10-11 years: by deprivation

Percentage of year six pupils measured as overweight or obese, Body Mass Index greater than or equal to the 85th centile of the UK90 growth reference according to age and sex, 2011/12 to 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - no significant change compared with increasing trend for Kent

Source: NCMP, NHS Digital, prepared by KPHO (LLY), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Children achieving a good level of development at the end of reception year: by electoral ward

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20 $\,$



Children achieving a good level of development at the end of reception year: by district

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2017-2019




Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Percentage

Children achieving a good level of development at the end of reception year: trend

Achieving a good level of development at the end of the Early Years Foundation Stage (EYFS) as a percentage of all eligible children, 2013 to 2019




Increasing with a similar pace of change to Kent

Source: KCC, Management Information Unit, prepared by KPHO (MP), Jan-20



Tooth decay in children aged five: by district

The percentage of children at age 5 years, within the survey sample, who experienced decayed, missing or extracted teeth, 2017




Source: Dental Public Health Epidemiology Programme for England: Oral health survey of five-year-old children, prepared by KPHO (TG), May-18



Tooth decay in children aged five: trend

The percentage of children at age 5 years (within the survey sample) who experienced decayed, missing or extracted teeth, 2009 to 2017



Decreasing compared with a stable trend for Kent

 $Source: Dental Public Health \ Epidemiology \ Programme \ for \ England: Or a lihealth \ survey of five-year-old \ children, \ prepared \ by \ KPHO \ (RK), \ Jun-18$



Healthcare usage

A&E attendances

Elective hospital admissions

Emergency hospital admissions




Accident & Emergency attendances in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19

- - - Kent

Ashford


Ward





Accident & Emergency attendances in children aged 0-4 years: by electoral ward


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19





Accident & Emergency attendances in children aged 0-4 years: by district


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19





Accident & Emergency attendances in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a similar pace of change to Kent



Accident & Emergency attendances in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - increasing with a similar pace of change to Kent Most deprived trend - no significant change compared with an increasing trend for Kent



Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward


Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19





Accident & Emergency attendances in children & young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19




Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Jan-20



Greater than 471.3 400.2 to 471.3 350.5 to 400.2 307.5 to 350.5 Less than 307.5

Accident & Emergency attendances in children & young people aged 0-19 years: by district


Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19





Accident & Emergency attendances in children & young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13-2018/19




Increasing with a similar pace of change to Kent



Accident & Emergency attendances in children & young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2012/13 -2014/5 to 2016/17 - 2018/19





Least deprived trend - increasing with a similar pace of change to Kent Most deprived trend - no significant change compared with an increasing trend for Kent



Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19








Elective hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19



45.1 to 53.3 36.2 to 45.1 Less than 36.2

Greater than 68.3 53.3 to 68.3


Crude rate per 1,000



Elective hospital admissions in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2014/15-2018/19








Elective hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent



Elective hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12-2015/16 to 2014/15-2018/19




Least deprived trend - stable with a similar pace of change to England Most deprived trend - increasing compared with a decreasing trend for England



Elective hospital admissions in children and young people aged 0-19 years: by electoral ward


Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19





Elective hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19






Elective hospital admissions in children and young people aged 0-19 years: by district

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19








Elective hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




No significant change compared with an increasing trend for Kent



Elective hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - decreasing compared with a increasing trend for Kent Most deprived trend - no significant change compared with a increasing trend for Kent




Emergency hospital admissions in children aged 0-4 years: by electoral ward

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19

- - - Kent

Ashford


Ward





Emergency hospital admissions in children aged 0-4 years: by electoral ward


Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19





Emergency hospital admissions in children aged 0-4 years: by district

Crude rate per 1,000 children aged 0-4 years, 2016/17-2018/19





Emergency hospital admissions in children aged 0-4 years: trend

Crude rate per 1,000 children aged 0-4 years, 2011/12 to 2018/19




Increasing with a faster pace of change than Kent



Emergency hospital admissions in children aged 0-4 years: by deprivation

Crude rate per 1,000 children aged 0-4 years, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing compared with an increasing trend for Kent

Most deprived trend - increasing with a similar pace of change to Kent




Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19

- - - Kent

Ashford


Ward





Emergency hospital admissions in children and young people aged 0-19 years: by electoral ward

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19






Emergency hospital admissions in children and young people aged 0-19 years: by district

Crude rate per 1,000 children and young people aged 0-19 years, 2016/17-2018/19







Emergency hospital admissions in children and young people aged 0-19 years: trend

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 to 2018/19




Increasing with a faster pace of change than Kent



Emergency hospital admissions in children and young people aged 0-19 years: by deprivation

Crude rate per 1,000 children and young people aged 0-19 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - increasing with a faster pace of change than Kent Most deprived trend - increasing with a faster pace of change than Kent



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by district

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2014/15-2018/19




 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Feb-20 \,$



Emergency hospital admissions for asthma in children and young people aged 0-19 years: trend

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent



Emergency hospital admissions for asthma in children and young people aged 0-19 years: by deprivation

Crude rate per 100,000 children and young people aged 0-19, ICD 10: J45-J46 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - stable with a similar pace of change to England Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by district


Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: trend

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




Increasing compared with a decreasing trend for Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-4 years: by deprivation

Crude rate per 10,000 children and young people aged 0-4, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a faster pace of change than Kent Most deprived trend - no significant change compared with a decreasing trend for Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by electoral ward


Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by district


Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: trend

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




No significant change compared with a decreasing trend for Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 0-14 years: by deprivation

Crude rate per 10,000 children and young people aged 0-14, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - no significant change compared with a decreasing trend for Kent Most deprived trend - no significant change compared with a decreasing trend for Kent




Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19

Ashford

--- Kent


Ward





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by electoral ward

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (JS), Nov-19




young people aged 15-24

Greater than 172.5 142.8 to 172.5 121.1 to 142.8 99.2 to 121.1 Less than 99.2

Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by district


Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2014/15-2018/19





Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: trend

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 to 2018/19




No significant change compared with a decreasing trend for Kent



Emergency hospital admissions caused by unintentional and deliberate injuries in children aged 15-24 years: by deprivation

Crude rate per 10,000 children and young people aged 15-24, ICD 10: S00-T79, V01-Y36, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - no significant change compared with a decreasing trend for Kent



Hospital admissions for self-harm in children and young people aged 10-24 years: by district

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2013/14 to 2018/19






 $Source: Hospital Episode \, Statistics, \, NHS \, Digital, \, ONS, \, pre \, pared \, by \, KPHO \, (LLY), \, Jan \, -20$



Hospital admissions for self-harm in children and young people aged 10-24 years: trend

Age standardised rate per 100,000 children and young people aged 10-24 years, ICD 10: X60-X84 (main recorded cause), 2011/12 to 2018/19




No significant change compared with a stable trend for Kent



Hospital admissions for self-harm in young people aged 10-24 years: by deprivation

Age standardised rate per 100,000 children and young people aged 10-24 years, 2011/12 - 2015/16 to 2014/15 - 2018/19




Least deprived trend - no significant change with a similar pace of change to Kent Most deprived trend - no significant change compared with a decreasing trend for Kent



Hospital admissions for respiratory tract infections in infants under 1: by district

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2014/15-2018/19





Hospital admissions for respiratory tract infections in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a faster pace of change than Kent



Hospital admissions for respiratory tract infections in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: J10, J110-1, J12-6, J180-1, J189, J21 (primary diagnosis), 2010/11 - 2014/15 to 2014/15 - 2018/19




Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a faster pace of change than England



Hospital admissions for gastroenteritis in infants under 1: by district

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2014/15-2018/19








Hospital admissions for gastroenteritis in infants under 1: trend

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing compared with a stable trend for Kent



Hospital admissions for gastroenteritis in infants under 1: by deprivation

Crude rate per 10,000 resident population, ICD 10: A020, A04-5, A072, A080-1, A083-5, A09, K520-2, K528-9 (primary diagnosis), 2011/12 - 2015/16 to 2014/15 - 2018/19





Least deprived trend - decreasing with a similar pace of change to England Most deprived trend - stable compared with a decreasing trend for England



Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 relevant resident population, 2011/12-2018/19






Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Jan-20

Wards with no data have been subject to supression rules



Emergency admissions of babies to hospital within 14 days of birth: by electoral ward

Crude rate per 1,000 live births, 2011/12 - 2018/19




Wards in grey are subject to supression rules



Emergency admissions of babies to hospital within 14 days of birth: by district

Crude rate per 1,000 relevant resident population, 2016/17-2018/19





 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Jan-20 \, Appendix \, Appe$



Emergency admissions of babies to hospital within 14 days of birth: trend

Crude rate per 1,000 live births, 2011/12 - 2013/14 to 2016/17 - 2018/19



Increasing with a similar pace of change to Kent

