OBSERVATORY

Ageing Well: Older people in Kent (Districts)

Contents



User guide

Ageing Well: Older people in Kent

OBSERVATORY Heath and Social Care Maps

KENT PUBLIC HEALTH



Demographics

Population projections: Age 65+

Population projections: Age 85+



Persons aged 65 years and over: population projections

Office for National Statistics 2016-based projections, KCC housing-led forecast (September 2019)

Kent KCC housing-led projection
Kent ONS projection



Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Ageing Well - Kent (Districts)

Wellbeing & disease prevalence

Life expectancy at 65

Dementia prevalence

Multimorbidity: Age 65+



Life expectancy at 65 years, male: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017



Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017



Source : ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18

Life expectancy at 65 years, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18

Ageing Well - Kent (Districts)

Life expectancy at 65 years, female: by district

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017



Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Life expectancy at 65 years, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017



Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Ageing Well - Kent (Districts)

Life expectancy at 65 years, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18



Recorded dementia prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19



Percentage

Source: QOF, prepared by KPHO (ZC), Nov-19



Recorded dementia prevalence: trend

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2010/11 to 2018/19



Source: QOF, prepared by KPHO (ZC), Nov-19



Multimorbidity in people aged 65 and over (developmental statistics): by district

Patients recorded by their GP as having 2 or more long-term conditions, age standardised rate per 100,000 people aged 65 years and over, 2017



Source: Kent Integrated Dataset (KID), prepared by KPHO (TG), Apr-18



Mortality

Mortality from all causes: Age 65+

Cause of death: Age 65+

Mortality from cancers: Age 65+

Mortality from cardiovascular disease: Age 65+

Mortality from respiratory disease: Age 65+



Mortality from all causes for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017





Mortality from all causes for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2010 to 2017





Mortality from all causes for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlyingcause of death (ICD-10: A00-Y99), 2010 - 2012 to 2015 - 2017



Most deprived trend - stable



Causes of mortality

Underlying cause of death for persons aged 65 years and over, 2017





Mortality from cancers for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-

2017





Mortality from cancers for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 to 2017





Mortality from cancers for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 -

2013 to 2015 - 2017



Most deprived trend - stable



Mortality from cardiovascular disease for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: IOO-I99), 2013-

2017



Mortality from cardiovascular disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2010 to 2017





Mortality from cardiovascular disease for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2010 - 2012 to 2015 -

2017



Least deprived trend - decreasing

Most deprived trend - decreasing



Mortality from respiratory disease for people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2013-

2017



Age standardised rate per 100,000 relevant resident population



Mortality from respiratory disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 to 2017





Mortality from respiratory disease for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 - 2014 to 2013 -

2017



Healthcare usage

A&E attendances: Age 65+

Elective hospital admissions: Age 65+

Emergency hospital admissions: Age 65+

Hospital admissions for falls: Age 65+

Hospital admissions caused by hip fracture: Age 65+

Hospital admissions caused by flu: Age 65+

Hospital admissions involving dementia: Age 65+



Accident & Emergency attendances in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19





Accident & Emergency attendances in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19





Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12-2013/14 to 2016/17-2018/19



Least deprived trend - increasing with a faster pace of change than England Most deprived trend - increasing with a faster pace of change than England



Elective hospital admissions in people aged 65 and over: by district

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19





Elective hospital admissions in people aged 65 and over: trend

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19





Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - stable compared with a increasing trend for England Most deprived trend - stable with a similar pace of change to England


Emergency hospital admissions in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan - 20



Emergency hospital admissions in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - stable compared with a increasing trend for England Most deprived trend - increasing with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Jan -20



Emergency hospital admissions due to falls in people aged 65 and over: by district

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions due to falls in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2010/11 to 2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Nov-19



Emergency hospital admissions due to falls in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - decreasing compared with a increasing trend for England Most deprived trend - stable with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (SR), Dec-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by district



Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - stable compared with a decreasing trend for England Most deprived trend - stable compared with a decreasing trend for England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Nov-19



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by district



Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2013/14 to 2016/17 - 2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Feb-20



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by district



Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Ageing Well - Kent (Districts)

Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2013/14 to 2016/17 - 2018/19



Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England

Source : Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

