

Contents

Overview

Demographics

Wellbeing & disease prevalence

Mortality

Healthcare usage



Ageing Well: Older people in Thanet CCG

Heath and Social Care Maps



In the 10 years between 2016 and 2026

65-84 year olds



Aged 85+



Source: ONS population projections

MULTIMORBIDITY

age 65+, developmental statistics



have 2 or more long term conditions recorded by their GP


Source: KID, 2017

LIFE EXPECTANCY

at age 65





Ward-level life expectancy (men)



HOSPITAL ADMISSIONS

Age 65+





Source: HES **Images from Noun project**

Demographics

Population numbers: Age 65+

Population projections: Age 65+

Population numbers: Age 85+


Population Numbers: Summary table

Income Deprivation Affecting Older People Index (IDAOPI)



Persons aged 65 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: ONS, prepared by KPHO (LLY), Dec-19



Persons aged 65 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018




Source: Office for National Statistics mid-year estimates, prepared by KPHO (LLY), Dec-19



Persons aged 65 years and over: population projections

Office for National Statistics 2016-based projections






Source: ONS, KCC, prepared by KPHO (LLY), Jan-20



Persons aged 85 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018



Source: ONS, prepared by KPHO (ZC), Dec-19



Persons aged 85 years and over: by electoral ward

Office for National Statistics mid-year estimates, 2018



Source: Office for National Statistics mid-year estimates, prepared by KPHO (ZC), Feb-20




Mid 2018 Population Estimates by Electoral Ward Source: ONS

Ward Code 2011	Ward Name	65+		85+	
		Number	%	Number	%
E05005081	Beacon Road	954	19.9%	79	1.6%
E05005082	Birchington North	1656	43.6%	234	6.2%
E05005083	Birchington South	2385	36.5%	357	5.5%
E05005084	Bradstowe	1555	36.5%	269	6.3%
E05005085	Central Harbour	1526	17.8%	162	1.9%
E05005086	Cliffsend and Pegwell	1516	31.8%	166	3.5%
E05005087	Cliftonville East	2193	34.7%	300	4.7%
E05005088	Cliftonville West	1472	13.5%	281	2.6%
E05005089	Dane Valley	1387	17.2%	157	1.9%
E05005090	Eastcliff	1356	16.0%	148	1.7%
E05005091	Garlinge	1047	21.9%	138	2.9%
E05005092	Kingsgate	780	34.9%	107	4.8%
E05005093	Margate Central	757	12.4%	80	1.3%
E05005094	Nethercourt	1155	23.8%	156	3.2%
E05005095	Newington	762	13.9%	87	1.6%
E05005096	Northwood	1614	23.7%	182	2.7%
E05005098	Salmestone	1054	18.1%	168	2.9%
E05005099	Sir Moses Montefiore	951	18.5%	124	2.4%
E05005097	St Peters	1985	28.1%	272	3.9%
E05005100	Thanet Villages	1938	25.7%	211	2.8%
E05005101	Viking	2273	30.5%	354	4.7%
E05005102	Westbrook	972	22.6%	126	2.9%
E05005103	Westgate-on-Sea	1938	25.0%	283	3.7%
Thanet CCG Total		33226	23.4%	4441	3.1%



Income deprivation affecting older people (IDAOPI): by electoral ward

The percentage of those aged 60 or over who experience income deprivation, 2019



Source: DCLG, prepared by KPHO (MP), Oct-19



Wellbeing & disease prevalence

Life expectancy at 65

Dementia prevalence

Multimorbidity: Age 65+




Life expectancy at 65 years, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

Ward — Thanet CCG — Kent








Life expectancy at 65 years, male: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017






Life expectancy at 65 years, male: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

CCG —Kent








Life expectancy at 65 years, male: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent



Life expectancy at 65 years, male: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017



Least deprived trend - increasing

Most deprived trend - stable




Life expectancy at 65 years, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

Ward — Thanet CCG — Kent








Life expectancy at 65 years, female: by electoral ward

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017



Source: ONS, NHS Digital, PHE, prepared by KPHO (ZC), Nov-18




Greater than 23.4

Life expectancy at 65 years, female: by CCG

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2013-2017

CCG —Kent








Life expectancy at 65 years, female: trend

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 to 2017




No significant change compared with a stable trend for Kent



Life expectancy at 65 years, female: by deprivation

Figures based on deaths registered and mid-year population estimates, life expectancy in years calculated using the Public Health England calculator, 2010 - 2014 to 2013 - 2017




Least deprived trend - stable Most deprived trend - stable



Recorded dementia prevalence: by practice

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19

Practice ——Thanet CCG — — Kent




Source: QOF, pre pared by KPHO (ZC), Nov-19 $\,$

Recorded dementia prevalence: by CCG

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2018/19

CCG — Kent — England






Source: QOF, prepared by KPHO (ZC), Nov-19



Recorded dementia prevalence: trend

Percentage of patients recorded on GP QOF registers as having dementia, all ages, 2010/11 to 2018/19




Source: QOF, prepared by KPHO (ZC), Nov-19



Multimorbidity in people aged 65 and over (developmental statistics): by CCG

Patients recorded by their GP as having 2 or more long-term conditions, age standardised rate per 100,000 people aged 65 years and over, 2017





Source: Kent Integrated Dataset (KID), prepared by KPHO (TG), Apr-18



Mortality

Mortality from all causes: Age 65+

Cause of death: Age 65+

Mortality from cancers: Age 65+


Mortality from cardiovascular disease: Age 65+

Mortality from respiratory disease: Age 65+



Mortality from all causes for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017





Mortality from all causes for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2015-2017





Mortality from all causes for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10:A00-Y99), 2015-2017






Mortality from all causes for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: A00-Y99), 2010 to 2017






No significant change compared with a stable trend for Kent



Mortality from all causes for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlyingcause of death (ICD-10: A00-Y99), 2010 - 2012 to 2015 - 2017




Least deprived trend - stable Most deprived trend - stable



Causes of mortality


Underlying cause of death for persons aged 65 years and over, 2017





Mortality from cancers for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017





Mortality from cancers for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017





Mortality from cancers for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2015-2017






Mortality from cancers for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 to 2017






No significant change compared with a stable trend for Kent



Mortality from cancers for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: C00-C97), 2011 - 2013 to 2015 - 2017




Least deprived trend - stable Most deprived trend - stable



Mortality from cardiovascular disease for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: IO0-I99), 2013-2017





Mortality from cardiovascular disease for people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017





Mortality from cardiovascular disease for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2013-2017






Mortality from cardiovascular disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: I00-I99), 2010 to 2017







Decreasing with a similar pace of change to Kent



Mortality from respiratory disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99) , 2013-2017








Mortality from respiratory disease for people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2013-2017






Mortality from respiratory disease for people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99) , 2013-2017








Mortality from respiratory disease for people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 to 2017




No significant change compared with a stable trend for Kent



Mortality from respiratory disease for people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, classified by underlying cause of death (ICD-10: J00-J99), 2010 - 2014 to 2013 - 2017



Least deprived trend - stable Most deprived trend - stable



Healthcare usage

A&E attendances: Age 65+

Elective hospital admissions: Age 65+

Emergency hospital admissions: Age 65+

Hospital admissions for falls: Age 65+

Hospital admissions caused by hip fracture: Age 65+


Hospital admissions caused by flu: Age 65+


Hospital admissions involving dementia: Age 65+



Accident & Emergency attendances in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19






 $Source: Hospital \ Episode \ Statistics \ (HES), NHS \ Digital, ONS, prepared \ by \ KPHO \ (MP), Dec-19$

Wards with no data have been subject to supression rules



Accident & Emergency attendances in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19





Accident & Emergency attendances in people aged 65 and over: by CCG

CCG


Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19

----Kent

South Kent Coast CCG

Swale CCG

Thanet CCG



Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (MP), Dec-19

Ashford CCG

Canterbury and Coastal Dartford, Gravesham

CCG

and Swanley CCG



West Kent CCG

20,000

0

Accident & Emergency attendances in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a slower pace of change than England



Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12-2013/14 to 2016/17-2018/19





Least deprived trend - increasing with a faster pace of change than England Most deprived trend - increasing with a faster pace of change than England



Elective hospital admissions in people aged 65 and over: by electoral ward

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19








Elective hospital admissions in people aged 65 and over: by electoral ward


Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19





Elective hospital admissions in people aged 65 and over: by CCG

Age standardised rate of per 100,000 people aged 65 and over, 2016/17-2018/19





Elective hospital admissions in people aged 65 and over: trend

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




No significant change compared with a stable trend for Kent



Elective hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19








Emergency hospital admissions in people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, 2014/15-2018/19





Emergency hospital admissions in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, 2016/17-2018/19





Emergency hospital admissions in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Decreasing compared with a stable trend for Kent



Emergency hospital admissions in people aged 65 and over: by deprivation

Age standardised rate of per 100,000 people aged 65 and over, 2011/12 - 2013/14 to 2016/17 - 2018/19




Least deprived trend - stable compared with a increasing trend for England Most deprived trend - increasing with a similar pace of change to England



Emergency hospital admissions due to falls in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19








Emergency hospital admissions due to falls in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19






Emergency hospital admissions due to falls in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2016/17-2018/19







Emergency hospital admissions due to falls in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2010/11 to 2018/19




No significant change compared with a stable trend for Kent



Emergency hospital admissions due to falls in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S00-T98 (primary diagnosis) and external cause code W00-W19, 2011/12 - 2013/14 to 2016/17 - 2018/19



Least deprived trend - decreasing compared with a increasing trend for England


Most deprived trend - stable with a similar pace of change to England



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19






 $Source: Hospital Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Nov-19$



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19






Emergency hospital admissions caused by hip fracture in people aged 65 and over: by CCG

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2014/15-2018/19








Emergency hospital admissions caused by hip fracture in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19




No significant change compared with a decreasing trend for Kent



Emergency hospital admissions caused by hip fracture in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: S72.0, S72.1, S72.2 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19





Least deprived trend - stable compared with a decreasing trend for England Most deprived trend - stable compared with a decreasing trend for England



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19






 $Source: Hospital \, Episode \, Statistics \, (HES), \, NHS \, Digital, \, ONS, \, prepared \, by \, KPHO \, (ZC), \, Feb-20 \, Appendix \, Color \, Color$



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19





Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by CCG


Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2016/17-2018/19





Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent



Emergency hospital admissions caused by influenza and pneumonia in people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: J09, J18 in primary, 2011/12 - 2015/16 to 2014/15 - 2018/19





Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by electoral ward

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19






Source: Hospital Episode Statistics (HES), NHS Digital, ONS, prepared by KPHO (ZC), Dec-19

Wards with no data have been subject to supression rules



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by electoral ward


Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19





Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by CCG


Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2014/15-2018/19





Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: trend

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2013/14 to 2016/17 - 2018/19




Increasing with a similar pace of change to Kent



Emergency hospital admissions involving individuals with dementia amongst people aged 65 and over: by deprivation

Age standardised rate per 100,000 people aged 65 and over, ICD 10: F00-F04, G30 & G31, 2011/12 - 2015/16 to 2014/15 - 2018/19



Least deprived trend - increasing with a similar pace of change to England Most deprived trend - increasing with a similar pace of change to England

